Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

The following discussion is management's assessment and analysis of the results and financial condition of Nevada King Gold Corp (the "Company" or "Nevada King") and should be read in conjunction with the accompanying unaudited condensed consolidated interim financial statements and related notes. The financial data was prepared using accounting policies consistent with International Financial Reporting Standards ("IFRS") and all figures are reported in Canadian dollars unless otherwise indicated.

Certain information included in this discussion may constitute forward-looking statements. Forward-looking statements are based on current expectations and entail various risks and uncertainties. These risks and uncertainties could cause or contribute to actual results that are materially different from those expressed or implied. The effective date of this report is November 29, 2022.

The scientific and technical geological content and interpretations contained in this report have been reviewed and approved by the Company's exploration manager, Cal Herron, P.Geo., a Qualified Person as defined by National Instrument 43-101, Standards of Disclosure for Mineral Projects ("NI 43-101"). The scientific and technical metallurgical content and interpretations contained in this report have been reviewed and approved by Jeffery L. Woods, B.Sc., SME-QP, MMSA-QP, a Qualified Person as defined by NI 43-101.

### **Description of Business**

The Company was originally incorporated on October 20, 2000, under the Business Corporations Act in the province of Alberta and on May 25, 2012, the Company was continued as a British Columbia corporation under the Business Corporations Act in the province of British Columbia. The address of the Company's registered office is Suite 2200 – 885 West Georgia Street, Vancouver, BC, Canada V6C 3E8.

The Company is a mineral exploration company engaged in the acquisition, exploration and evaluation of resource properties in Nevada, United States of America. The Company owns a 100% interest in the Iron Point Project, consisting of 731 unpatented lode claims covering approximately 12,822 acres, located in the Iron Point mining district 22 miles east of Winnemucca, Humboldt County, Nevada (USA) (the "Project" or the "Property"). The Project straddles Interstate 80, has high voltage electric power lines running through the Project area and a railroad line passing across the northern property boundary. The Company is well financed to advance the Project through resource estimation and initial feasibility study work. In addition to the Property, the Company has the option to acquire interests in up to a further 104 acres contiguous to the Property.

On April 7, 2021, the Company completed the purchase of all of the issued and outstanding common shares of Nevada King Mining Ltd. ("Nevada King Mining") in exchange for 99,134,006 common shares of the Company with a fair value of \$50,558,343. The acquisition was accounted for as an asset acquisition under IFRS 2. The acquired assets and liabilities were recorded at their fair value.

The completion of the acquisition was subject to the completion of a minimum \$8 million non-brokered private placement by the Company. Accordingly, the Company issued 32,806,902 subscription receipts at a price of \$0.55 per subscription receipt for gross proceeds of \$18,043,796 in the last fiscal quarter of 2021. Each subscription receipt entitled the holder to receive one post-acquisition share of the Company immediately after closing of the acquisition. The gross proceeds were held in escrow until the completion of the acquisition on April 7, 2021, at which time the subscription receipts were converted into 32,806,902 common shares of the Company and the proceeds were released from escrow.

#### Current Status of Nevada King's Land Positions in Nevada

Nevada King's gold projects are concentrated within the Battle Mountain Trend and at the intersection with the Getchell Trend. It should be noted that the three major mineral belts in Northern Nevada (the Carlin, Battle Mountain, and Getchell Trends) are defined by the alignment of Eocene-age sediment and intrusive-hosted gold deposits. Other gold deposits occur adjacent to these trends, but the mineralization tends to be younger (Oligocene, Miocene) and is often hosted in Tertiary volcanics. Most of Nevada King's projects are located within 20 kilometers of existing, large mining operations, so local access and infrastructure are generally good.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

A more detailed view of Nevada King's project locations is seen in Figure 1, where only the Eocene (or suspected Eocene) age sediment—hosted gold deposits are shown together with contoured reported total gold reserves. The contoured reserves do not include all gold occurrences and smaller historical gold resources, so many areas hosting exploration potential are not readily evident. Gaps between the contoured reserves can be explained by the presence of deep grabens related to Basin and Range normal faulting or simply by a lack of exploration. However, by just looking at the spatial relationship between Nevada King's land positions and existing gold mines, the project areas both cut across and follow the prevailing trends. This is particularly evident on the ground within the Buffalo Valley, Lewis, and Hilltop South Projects, where the alignment of nearby large pit operations with Nevada King claim blocks is clearly visible.

A better depiction of exploration potential is seen in Figure 2, where gravity anomalies, the distribution of gold mines, presence of historical resources, and identified gold mineralization in surface outcrops are taken into account. The region delimited by the red-hachured lines constitutes the Company's hunting ground, and within this large zone of prospective ground, Nevada King has been gradually building land positions and steadily closing in on known gold resources, always mindful of its major guidelines, particularly district-scale control over district-scale mineralization. With two small gold resources at Lewis already under its control, and other resources at Hilltop South, Horse Mountain, and Carico Lake-Cedars surrounded, Nevada King is well on its way to carving out large portions of the Battle Mountain Trend.

Management's Discussion and Analysis
For the six months ended September 30, 2022 and 2021




Figure 1. Location of Nevada King projects in relation to Au deposits and gold reserve distribution along the Battle Mountain Trend. Gold reserve figures from NBMG Nevada Mineral Explorer website.

For the six months ended September 30, 2022 and 2021




Figure 2. Location of Nevada King projects in relation to the most prospective ground within the Battle Mountain and Getchell Trends. The region delimited by red-hachured lines represents the most prospective areas based on distribution of gold mines, smaller historical Au resources (red stars), and favorable gravity anomalies.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

As of November 15, 2022, Nevada King owned and controlled a total of 9,029 lode claims along the Battle Mountain Trend (including patented claims) in eleven separate project areas (Table 1), with annual claim holding costs totaling US \$1,680,477.

Table 1. List of lode claims owned or controlled by Nevada King as of November 15, 2022.					
Iron Point	576				
Lewis	650				
Hilltop South	343				
Buffalo Valley	620				
Horse Mountain-Mill Creek	879				
Carico Lake-Cedars	970				
Crescent Valley	14				
Kobeh Valley	1,363				
Evana	119				
Atlanta	793				
Nevada Fluorspar	606				
Golconda Summit	800				
Pancake Range	1,296				
Total	9,029				

#### Iron Point Gold Project

#### **Land History**

The Iron Point Project consists of 731 unpatented lode claims and four patented mining claims covering approximately 12,822 acres (5,189 hectares). The claim group is in North-Central Nevada in Humboldt County, 35 kilometers east of Winnemucca (Figure 3) and centered at UTM Zone 11N geographical coordinates 472,000E, 4,531,000N (Lat 40.935°, Long 117.327°). Winnemucca is the largest town in the area with a population of 7,900. The project has been extensively explored for gold by numerous operators.

Of the total land holding, 731 lode claims are owned by Brownstone Ventures (US) Inc. ("Brownstone"), formerly a subsidiary of Victory Metals, Inc. ("Victory") and now a wholly owned subsidiary of Nevada King. Brownstone holds a 100% interest in the claims. Brownstone also holds a ten-year lease on four patented mining claims (the Silver King block) from Canarc Resource Corp. ("Canarc") by which Canarc receives annual payments of \$12,000 (the first of which was made on signing) plus an option exercise payment of US\$120,000. Upon exercise of the option, Canarc will retain a 2% NSR royalty on the property of which Nevada King will have the right to buy back one-half (1%) of the royalty for US\$1,000,000.

#### **Environmental Permitting**

The Iron Point Property is located on Multiple Use Bureau of Land Management ("BLM") lands administered by the Winnemucca District Office and is subject to surface management regulations contained in 43 CFR 3809. The initial drilling activities in 2018 were permitted under a Notice, which mandates less than 5 acres of surface disturbance. Nevada King, through Brownstone, retained EM Strategies in early 2019 to implement the environmental baseline studies necessary for completing an Environmental Assessment ("EA") at Iron Point and thereby obtaining a plan of operation ("POO") for the continuing exploration and eventual developmental drilling. Zoological, botanical, and cultural baseline studies were largely completed by the third quarter of 2019. The POO and reclamation bond was approved by the BLM on February 17, 2021 (NVN098607) and allows for 55 acres of disturbance.

#### **Project Infrastructure**

The Project area straddles US Interstate 80 (I-80) - a major east-west transcontinental highway. From the Iron Point exit on I-80, dirt roads and jeep trails head north and south into all portions of the Property. The Union Pacific Railroad

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

runs around the northern end of the Property. Regularly scheduled air passenger service is available in Reno, Nevada (260 air-kilometers to the southwest), and in Elko, Nevada (130 air-kilometers to the east).

The project site does not have electrical service, but electrical power is readily accessible. The 522-megawatt North Valmy Generating Station, located 15 kilometers east of the Property, feeds readily accessible, high voltage transmission lines that run along the I-80 corridor and cross the southern end of the project area. There are currently no developed water supply or water rights attached to the project. Wells can be drilled in the future for sustained drilling, but exploratory drilling will rely upon trucked water and temporary reservoirs.

#### **Historical Work**

The Iron Point project is located at the intersection of the Battle Mountain and Getchell gold belts, and on trend with several world-class gold mines including Twin Creeks (14M ounces Au), Turquoise Ridge (16M ounces Au), and Marigold (12M ounces Au)\*. Many companies have explored the Iron Point district and the surrounding area for a number of commodities, including gold, beginning with Newmont in 1966 and continuing to Miranda Gold in 2008. To date, there have been over 82,000 meters of core and reverse circulation ("RC") drilled in approximately 450 historical holes (records are not consistent) within the overall outline of the Iron Point project. Though the vast majority have been drilled to relatively shallow depths (<300 meters), historical drilling identified a narrow seven-kilometer-long gold mineralized shear zone in the upper plate, with styles similar to that seen at the nearby Lone Tree and Marigold mines.

The majority of the holes drilled on the Iron Point zone were drilled by Aur Resources from 1996 to 1997, with the remaining holes being drilled by Newmont, Chevron Resources Ltd., Molycorp, Inc., and Southern Pacific Resource Corporation. Aur Resources Inc. ("Aur Resources") completed 24 holes totaling 5,813 meters of drilling, consisting of seven holes of wireline diamond drilling totaling 1,882 meters, and 17 holes of RC drilling totaling 3,931 meters. Core and pulps are still available and have been reanalyzed by American Assay Laboratories Inc. Re-logging of these historical holes for geological accuracy is still ongoing at the time of writing this report. The best hole drilled by Aur Resources (96IPDDH-03) intercepted 18.29 meters grading 1.66 g/t Au starting at 172 meter-depth. An aggregate of 27.4 meters grading 1.163 g/t Au, including 3 meters grading 6.37 g/t Au starting at 180 meter-depth (True thickness of mineralized drill intercept is unknown).

There have been no historic mineral resource or reserve estimates reported for this project that can be documented or reported in any extent.

\*Total gold endowments referenced in NBMG Nevada Mineral Explorer website and Barrick 2020 Annual Report.

#### **Project Geology**

The project area consists of Lower Paleozoic, Western Assemblage rocks belonging to the Roberts Mountains Allochthon that are unconformably overlain by Tertiary gravels and finally Pliocene basalt. A major range-front fault, the Edna Mountain Structural Zone ("EMSZ"), bounds the Property along its eastern margin, and another major fault on the western side juxtaposes Cambrian Preble Fm. shale against the Western Assemblage lithotypes. The Preble Fm. is unconformably overlain by an extensive sheet of Golconda Allochthon siliclastic-volcanic units that are exposed immediately west of the project area. These lithotypes are completely absent from the Project area yet so close, so the fault separating Preble from the Western Assemblage at Iron Point must be responsible for a large vertical displacement between these blocks, with the west side having been down thrown.

The mineralization occurs within the upper part of the Western Assemblage, within the Ordovician-age Vinini Formation. A Cretaceous quartz diorite body, the Iron Point intrusive, intruded Western Assemblage units in the eastern part of the project area and created an extensive contact-metamorphic halo that resulted in skarnification, hornfels alteration, and carbon remobilization. Carlin-type gold mineralization related to a Tertiary-age, low temperature hydrothermal system produced widespread anomalous Au-As-Sb-Hg mineralization that was the focus of numerous historical exploration efforts throughout the district. Additionally, several small past-producing silver mines are located along the margin of the Iron Point intrusive, where mineralization was localized along dike contacts with carbonate host rocks.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

#### **Recent Exploration**

#### Nevada King's Gold Exploration at Iron Point

#### 2019 Lower Plate Gold Scout Drill Program

The potential for a deep Carlin-type gold deposit similar to Turquoise Ridge (16M ounces Au) or Twin Creeks (14M ounces Au) mines has been largely untested on the Property prior to Nevada Gold's tenure. Only 18 known historic drill holes across the project area exceeded 300 meters (1000 feet) drill depths. A scout exploration drill program was designed to test this potential during the 2019 field season with planned depths up to 700 meters. Two separate targets located approximately 3 kilometers distant were selected, and 5 exploratory holes, totaling 2,686.5 meters, were drilled along the range-front escarpment on the eastern portion of the Property (Figure 3).

Deep core drill hole VM-008C successfully intersected lower plate carbonate strata beneath the Roberts Mountain Thrust fault ("RMT") at depth of 279 meters. Significant alteration typical of Carlin-type systems was present throughout the lower plate section to the end of hole at 710 meters. The bottom 5.8 meters of this hole graded 0.165 g/t Au accompanied by elevated As, Sb, and Hg, suggesting the system may be intensifying at depth.

EG-001C was collared 590 meters to the NNE of VM-008C. The hole was drilled to 305 meters with RC, then completed with diamond drill core to 552 meters. The upper portion of the drill hole intersected an interval of quartzite cut by intrusive dikes, then an interval of skarn from 190-221 meters. From 221 meters to the end of the hole at 552 meters, the lithology was granodiorite with zones of skarn from 391.4-415 meters, 451-469 meters, and 481-518 meters. The hole intersected an aggregate interval of 54.88 meters of 0.287 g/t Au beginning at 7.6 meters downhole.

RC drill holes EG-003A and EG-003B were drilled approximately 3 kilometers to the north of VM-008C along the EMSZ. These holes were collared 100 meters to the west of Newcrest Mining Limited's NP-09 drill hole which intersected 178.31 meters at 0.273 g/t Au beginning 33.5 meters downhole, including 41.15 meters grading 0.600 g/t Au beginning at 53.3 meters downhole. While both had a 60-degree inclination, EG-003A was drilled to 512 meters with a 165-degree azimuth, while EG-003B was drilled to 611 meters on a 192-degree azimuth to test the EMSZ structure that NP-09 was believed to have intersected. EG-003A and EG-003B both intersected intervals of altered siltstone and silty carbonates. EG-003A intersected an aggregate interval of 59.45 meters of 0.194 g/t Au beginning at 9.1 meters downhole.

For the six months ended September 30, 2022 and 2021




Figure 3: Location of Nevada King's 2019 scout drill holes in relation to historical drilling. Historical holes are color-coded on the basis of grade X thickness using a 0.1 g/t cutoff. The strong NNW trend of Au mineralization in drill holes is evident.

### **Drilling Database Compilation**

An exploration database was developed to systematically integrate historic drill hole data from numerous campaigns with the more recent drilling done by Nevada King. The database currently contains records for approximately 550 drill holes, of which 446 holes have known depths. The holes drilled prior to Nevada King's tenure in the district total a minimum of 59,500 meters (~195,200 feet) with an average depth of 189 meters (620 feet). This database represents the most complete dataset compilation in the district's history, and the standardized format serves as the foundation for a 3D model.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

### **Surface Geochemistry Compilation**

As part of the district-scale data compilation, known historic surface samples were added to the database and analyzed using ioGas software. Approximately 8,200 historic soil and rock chip samples across the project area were integrated. A +3km NNW trending lineament of strong pathfinder geochemistry associated with Carlin-type gold deposits was identified, centered on the Iron Point Intrusive on the eastern portion of the project area. This anomalous zone extends NNW to the margin of the post-mineral basalt cap. Because this lineament closely coincides with features visible in multiple geophysical datasets as well as trends in the historical drilling, Nevada King believes the anomaly continues to the NNW beneath the basalt cap. Additional zones of geochemical anomalies were identified across the Property for follow-up exploration.

### **Geophysical Surveys**

During September-November 2020, several geophysical surveys were conducted within the project area to guide future drilling efforts. Results of all surveys were interpreted by consulting geophysicist Jim Wright, who has extensive experience working in Nevada.

- Gravity survey
  - Conducted by Magee Geophysics in September 2020
  - 1156 stations in a 200m x 200m grid across the claim checkerboard
- Drone-based Airborne Magnetic survey
  - Flown by Zonge International during September-October 2020
  - 287 lines with 50m spacing totalling 1079 line-km
- · CSAMT survey
  - Ground survey conducted by Zonge International during October-November 2020
  - 8 lines totalling 23.9 line-km

#### **Pulp Re-assay Program**

With the focus on vanadium in the 2018 and early 2019 exploration programs, drill cuttings and cores within the resource area were not initially assayed for gold. A gold re-assay program was conducted on pulp samples in Q1 2021 to identify zones of gold mineralization in the Upper plate lithologies, and the structures that may control "leakage" from a Carlin-type deposit at depth hosted in the Lower plate carbonate section.

- 5,155 sample pulps from 38 drill holes were submitted to American Assay Lab (Reno, NV).
- Drill holes were selected to provide good areal coverage across the vanadium resource area. Submitted pulps
  cover the entirety of each drill hole, and appropriate insertions of QAQC standards and blanks were used to
  ensure analytical accuracy.
- Results of the program identified intervals of gold mineralization hosted in Upper plate rocks and in zones of sheared intrusive and indicate some controlling structures in the Upper plate lithology (Western Assemblage).

Highlights include the following:

• VM-092: 44.2m grading 0.461 g/t Au from 99.1-164.6m (aggregate interval)

• VM-121: 9.1m grading 0.259 g/t Au from 109.7-118.9m,

and 19.81m grading 0.62 g/t Au from 160.0-184.4m (aggregate interval)

VM-116: 4.6m grading 1.104 g/t Au from 275.8-280.4m.
 CG-IP-009: 12.2m grading 0.389 g/t Au from 146.3-158.5m.

#### 2021 Soil Sampling Program

A soil sampling program was conducted in late August 2021 to expand coverage outwards from historical soil grids. 1,608 samples were collected on 200m x 100m centers across the Company's existing claim block, covering an area approximately 25 km2. Stronger geochemical anomalies tend to coincide with mapped structures and structural

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

intersections, as well as dike corridors. Additional zones of geochemical anomalies were identified across the Property for follow-up exploration.

#### 2021 Scout Reconnaissance Drill Program

Post-mineral basalt flows cap a plateau covering a 16 sq. km area in the northeast portion of the Iron Point claim Block. Historic drilling along the NNW-trending projection of the Fairway Zone near the center of the basalt flows intersected intervals up to 39.6m grading 0.22 g/t Au including 3.05m of 1.85 g/t Au. Because the Company does not possess cuttings or geological logs from these historic holes to determine the host rock and nature of this mineralization, it was decided to undertake a scout reconnaissance drill program to help identify and delineate future deep exploration in this target area. The purpose of this scout program is to determine the thickness of the basalt cover as well as to identify the underlying bedrock geology, alteration, and vectors to mineralization. Results will also be used to ground-truth CSAMT data and refine the subsurface interpretation. The program consists of 18 shallow vertical RC drill holes totaling 2,400m. Drilling commenced in November 2021, and prior to the end of year drilling break, twelve holes totaling 1,790m were completed to an average depth of 150m. An additional six holes totaling 480m of drilling was completed in Q1 2022 to an average depth of 80m. Initial results indicate the thickness of basalt drilled ranges from 20-69m, and that bedrock geology consists of Comus and Preble formations. Zones of quartz veining, sulfides and alteration were encountered in various holes, accompanied by weakly anomalous to low-level Au values and pathfinder elements related to Carlin-type deposits.

#### 2022 Range Front Zone ("RFZ") Deep Drill Program

A mud-rotary drill rig was mobilized to Iron Point in January 2022 to drill three deep pre-collars along a deep structural break striking north-south (the "Range Front Zone" or "RFZ") along the eastern margin of Iron Point mining district (Figure 4). The pre-collars were drilled to depths ranging from 323-367m, and casing was set to allow for follow-on diamond drilling to advance each drill hole to a depth up to approximately 915m. The mineralized interval in Lower Plate stratigraphy encountered near the bottom of core hole VM-008C occurs on the west side (upthrown side) of the RFZ, while the three pre-collar holes are located on the east side within the down-thrown block. A ground-based gravity survey completed in 2020 provided higher resolution definition of the RFZ and indicated the down-thrown eastern block extends up to 3.5km eastward from the RFZ. If favorable Lower Plate carbonates are intersected in this down-dropped block, the target area along and east of the RFZ will be greatly expanded. The three scout holes in this area are designed to step-out eastwardly from intervals of Lower Plate hosted gold and pathfinder mineralization intercepted in hole VM-008C and test the down-dropped fault block on the hanging wall (east) side of the RFZ.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021




Figure 4. Location of Nevada King's 2021-2022 drill holes in relation to 2019 Lower Plate program drill holes.

IP22-004 is located approximately 350m ESE of hole VM-008C, and 90m northwest of historic hole CH-IP88-03 drilled by Chevron Minerals in 1988 which intersected 7.62 meters grading 1.59 g/t Au beginning 353.57 meters downhole, including 1.54 meters grading 3.68 g/t Au at 355 meters (Figure 5).

IP22-004 was pre-collared and cased to a depth of 332 meters, and a core tail extended the hole to a total depth of 916.8 meters. The pre-collar encountered 128 meters of alluvial gravels before penetrating bedrock, then drilled a quartzite dominated Upper Plate sequence to 308-meter depth. Difficult ground conditions between 308-332-meter depth prevented recovery of drill cuttings; it is within this interval that the interpreted Roberts Mountain thrust was crossed. The core tail began in a thick sequence of Lower Plate limestone that had been altered to calc-silicate hornfels and marble to a depth of 475 meters. Two intrusive dikes of intermediate to mafic composition cut the section from 483.4-490.1 meters and 518.2-519 meters; these typically occupy structural zones in nearby drill holes. The limestone section bracketed by the dikes has been sheared, brecciated, and strongly altered, exhibiting decalcification and silicification as well as strong calcite-quartz +/- pyrite veining. The alteration is centered around the lower intrusive, with additional calc-silicate hornfels/marble intervals from 519-536 meters and 547.6-568 meters. The section from 536-625 meters is a thin bedded bioturbated silty limestone, below which lithology is dominantly micritic limestone to variably calcareous mudstone. A large interval from 653.5-738 meters exhibits multiple structural zones with shears, folds, and brecciation accompanied by moderate decalcification and silicification, and strong calcite-quartz veining. Below 792 meters, bedding is relatively undisturbed with shallow dips, and weak local decalcification and silicification. All samples for IP22-004 were submitted to ALS Global laboratory in Elko, Nevada and assay results indicate low-grade gold-arsenic mineralization similar to the 2021 drill results. Drill results are currently being evaluated and summarized as part of a comprehensive independent project review.

For the six months ended September 30, 2022 and 2021




Figure 5. Cross Section A-A' across RFZ target area from 2019 Nevada King core hole VM-008C to 1988 Chevron RC hole CH-IP88-03, showing location of completed drill hole IP22-004.

IP22-003, located 350m ENE of hole VM-008C and 250m north of hole IP22-004, was pre-collared and cased to a depth of 367 meters. The lithology encountered in the pre-collar consists of alluvial gravels and the same quartzite dominant Upper Plate sequence found in IP22-004. The core tail remains undrilled at this time.

Recently completed RFZ drill hole IP22-005, situated 600 meters to the NNE of drill hole VM-008C, is a 265-meter step-out of mineralization encountered in 2019 drill hole EG-001C. Grade-thickness contours of nearby historic drill holes indicate an ENE orientation to Au mineralization in the Upper Plate siliciclastic rocks, thus forming a vector that coincides with a pronounced shoulder in the gravity dataset. As previously stated, EG-001C intersected the following zones of low-grade gold mineralization:

- 25.9 meters grading 0.198 g/t Au from 22.9 48.8 meters downhole associated with brecciated quartzite, strong sulfide veining, and intrusive dikes
- 10.7 meters grading 0.303 g/t Au and 50.4 g/t Ag, from 172.2 182.9 meters downhole hosted in quartzite with intrusive dikes, breccia, and quartz-sulfide veining
- 18.3 meters grading 0.309 g/t Au from 358.1 376.4 meters downhole hosted in granodiorite and endoskarn

IP22-005 was pre-collared and cased to a depth of 322.8 meters, and a core tail extended the hole to a total depth of 932.7 meters. A sequence of alluvial gravels and Upper Plate quartzite was drilled in the pre-collar. In the core tail,

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

the quartzite section continued to a depth of 432 meters and was cut by a number of intrusive dikes, as well as a zone of thick red-brown fault gouge from 327.8-339.2 meters. Granodiorite bodies extend from 432-501 meters and 546.8-667.8 meters, with the intervening zone being dominantly skarnoid or biotite hornfels. A steeply dipping sheared contact at 667.8 meters with fault gouge, milled clasts and local hydrothermal breccias separates the granodiorite above from the Lower Plate carbonate section below. The structural zone extends to 755.6m, with additional zones of brecciated, sheared, and folded beds present from 775.2-778.8 meters, 788.4-791.4 meters, 802.5-856 meters and 892.6-926 meters. Alteration is variable with weak to moderate decalcification and silicification. Overall, the bedding is steeply dipping, and lithology is dominantly micritic limestone. The interval from 906.2-932.7 meters has been recrystallized to a sparry limestone, with local marble intervals centered around an injection dike of intermediate to mafic composition at 919.3-920 meters with milled intrusive clasts and subangular to subrounded limestone fragments. All samples for IP22-005 were submitted to ALS Global laboratory in Elko, Nevada and assay results indicate low-grade gold-arsenic mineralization similar to the 2021 drill results. Drill results are currently being evaluated and summarized as part of a comprehensive independent project review.

EG-002, the fifth planned deep test in the RFZ, is a 265- meter step-out to the south of VM-008C. This drill hole was pre-collared to 305 meters during the 2019 program, but a core tail was not drilled at that time. A 610- meter core tail is planned during the 2022 program, bringing the total planned depth of this hole to 915 meters. This hole is situated within the same structural block as VM-008C and is expected to fully test prospective Lower Plate stratigraphy in this area.

#### 2022 Fairway Zone Deep Drill Program

During 2021, Nevada King's geologists compiled and integrated extensive datasets including new (2020), separate geophysical surveys for Bouguer gravity, resistivity (CSAMT), and aeromagnetics, along with historic soil and drill results, resulting in identification of a profound NNW-trending structural corridor, referred to as the "Fairway Zone" (Figure 4). This zone displays alteration and gold mineralization centered along an interpreted intrusive complex which extends over a distance of 4.5 kilometers, projecting under the post-mineral basalt flows to the north. Prospective Lower Plate stratigraphy is expected to be encountered in this area.

Drill hole IP22-001, collared 2.2 kilometers NNW of VM-008C, is the initial test of this target area. The pre-collar was drilled and cased to a depth of 245 meters while the core tail was completed to a depth of 912.8 meters. Multiple zones of quartz veining, decalcification, and silicification were encountered in the hole indicating the presence of a hydrothermal system. All samples for IP22-001were submitted to ALS Global laboratory in Elko, Nevada and assay results indicate low-grade gold-arsenic mineralization similar to the 2021 drill results. Drill results are currently being evaluated and summarized as part of a comprehensive independent project review.

Table 3. Nevada King's 2021-2022 completed and proposed drill holes as of June 30, 2022. \*\*Drill hole EG-002 was pre-collared with RC to 305 meters during the 2019 drill program; the total depth of the pre-collar and planned core tail is reported in the table.

Hole ID	Lengt h (m)	Azimuth (deg.)	Dip (deg.)	Status	Program	Zone
IP21-001	167.6	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-002	179.8	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-003	179.8	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-004	179.8	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-005	219.5	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-006	185.9	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-007	45.7	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-008	182.9	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-009	173.7	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-010	45.7	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-011	67.1	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-012	164.6	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP21-013	83.8	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP22-001	540.0	0	-90	In Progress	Deep Drill Program	Fairway Zone

Management's Discussion and Analysis

For the six months ended September 30, 2022 and 2021

Hole ID	Lengt h (m)	Azimuth (deg.)	Dip (deg.)	Status	Program	Zone
IP22-002	67.0	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP22-003	366.7	0	-90	Pre-collared	Deep Drill Program	Range Front Zone
IP22-004	916.8	0	-90	Completed	Deep Drill Program	Range Front Zone
IP22-005	932.7	0	-90	Completed	Deep Drill Program	Range Front Zone
IP22-006	62.5	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP22-007	91.4	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP22-008	115.8	0	-90	Completed	Shallow Scout RC	Basalt Plateau
IP22-009	61.0	0	-90	Completed	Shallow Scout RC	Basalt Plateau
EG-002**	915.0	0	-90	Planned	Deep Drill Program	Range Front Zone

### Atlanta Gold Project

#### **Project Highlights**

- The Atlanta project, which is inclusive of the historical Atlanta Mine, is located in the northern portion of Lincoln County, Nevada approximately 264 kilometers northeast of Las Vegas, Nevada, and is part of the prolific gold-producing Battle Mountain Trend.
- The project consists of 12 patented and 793 unpatented mineral lode claims, totaling approximately 6,388 hectares, held 100% by Desert Hawk Resources Inc. ("Desert Hawk"), a wholly owned US subsidiary of Nevada King Gold Corp.
- The Atlanta Mine is a historical gold-silver producer with an NI 43-101 compliant pit-constrained resource of 460,000 ounces Au in the measured and indicated category (11.0M tonnes at 1.3 g/t) plus an inferred resource of 142,000 ounces Au (5.3M tonnes at 0.83 g/t). Please refer to the NI 43-101 Technical Report on Resources titled "Atlanta Property, Lincoln County, NV" with an effective date of October 6, 2020, and a report date of December 22, 2020, as prepared by Gustavson Associates, LLC ("Gustavon") and filed under the Company's profile on SEDAR (www.sedar.com) (Gustavson 2020).
- The Company acquired the Atlanta project through purchase of Desert Hawk from Meadow Bay Gold Corporation ("Meadow Bay") in late 2019. Desert Hawk, as a subsidiary of the Company, became the Atlanta project operator under BLM Plan of Operation NVN 091367N effective August 3, 2020, with an existing reclamation bond.

The project is accessible year- round by maintained county roads and possesses a powerline connection to the local grid, an industrial well with water rights, and a full-service camp at site that can house up to fifteen people year-round

• Nevada King's Atlanta Phase I drilling program commenced June 22, 2021, and was concluded October 9, 2021, with 66 RC holes completed, ranging from 33 meters to 207 meters in depth, and totaling 5,407 meters. The completion of the Phase I program confirmed and found additional low-grade mineralization occurring north, east, and south of the Gustavson 2020 resource that could potentially add significant resource and decrease overall strip ratio. It also found shallow, high-grade oxide gold mineralization along the Atlanta Mine Fault Zone within the historical pit and 560m north of the pit. Importantly, both of these areas of high-grade gold mineralization were previously unknown and hence were not included in the Gustavson 2020 resource model.

Desert Hawk's permitted on-site activities under the plan of operation includes exploratory drilling followed by reclamation of any disturbed areas. On June 13, 2022, the Company announced commencement of a 13,100-meter, Phase II drilling program at Atlanta. Please refer to the Company's June 13, 2022, news release entitled "Nevada King Commences 13,100-meter Phase II Drill Program Targeting High-grade Gold

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

at its 100% Owned Atlanta Gold Mine, Nevada" filed under the Company's profile on SEDAR. This initial 2022 exploration program is designed to expand (1) the known high-grade mineralization into areas of low historical drill density to the west of the current resource envelope on the strike extension of the Atlanta Mine Fault Zone; and (2) the footprint of the gold mineralization into untested areas east and southward of the existing resource.

- Assays from Desert Hawk's drilling program clearly met the Company's initial objectives and, in some areas, exceeded expectations. Drill results show gold to be concentrated along a densely silicified collapse breccia zone developed along a gently west-dipping contact involving a variably sulfidized quartz monzonite porphyry sill in the hanging wall and dolomite in the footwall. Replacement-type mineralization is clearly evident within strongly silicified and decalcified dolomite. Higher gold grades occur along northerly-trending, steeply dipping faults, often accompanied by strongly altered rhyolitic dikes,that displace the intrusive-dolomite contact, resulting in a series of narrow fault blocks progressively down-dropped to the west. Higher grades are concentrated along a northerly-trending 40m to 80m wide fault block corridor identified as the Atlanta Mine Fault Zone, which was the focus of historical mining activity.
- In a new structural interpretation for the Atlanta deposit developed by the Company's technical team, potential higher-grade gold mineralization will be targeted in drilling where northerly striking high-angle shears intersect a low angle silicified breccia zone beneath a strongly altered quartz monzonite sill (please see discussion below).
- After examining the historical drill and surface sample data for the Atlanta project and compilations of recent sampling, geophysical, and magnetic survey work conducted by Nevada King, it is apparent that the Atlanta gold resource is just one part of a much larger, caldera-related epithermal gold-silver system. Prior operators largely focused on the Atlanta pit area (0.15 square kilometers or 15 hectares in size), while little attention was paid to regional exploration. The Company sees excellent potential, not just for expanding the existing Atlanta pit resource, but also for locating new areas of gold mineralization elsewhere within the 100% owned, 52 square kilometer (5,166 hectare) property package.

### **Property Location, Description, and Infrastructure**

The Atlanta project, which includes the historical Atlanta Gold Mine, is located in the northern portion of Lincoln County, Nevada and is approximately 264 kilometers northeast of Las Vegas, Nevada. The region is high desert with warm summers and cold, dry winters and the property displays moderate topography with elevations from 6,500 to 7,800 feet above sea level. County-maintained roads connect the project area to major highways. The town of Pioche is located about 80 kilometers south of the project and the town of Ely is a two-hour drive to the northwest.

The project consists of 12 patented and 793 unpatented mineral lode claims, totaling approximately 6388 hectares, held 100% by Desert Hawk. The Atlanta Mine is a historical gold-silver producer with an NI 43-101 compliant pit-constrained resource of 460,000 ounces Au in the measured and indicated category (11.0M tonnes at 1.3 g/t) plus an inferred resource of 142,000 ounces Au (5.3M tonnes at 0.83 g/t). Please refer to the NI 43-101 Technical Report on Resources titled "Atlanta Property, Lincoln County, NV" with an effective date of October 6, 2020, and a report date of December 22, 2020, as prepared by Gustavson and filed under the Company's profile on SEDAR (www.sedar.com).

The Atlanta project is well situated with regard to physical infrastructure. Prior mining operations at the site established an open pit mine, a tailings dam, a mill and processing area, and a surface impoundment area. The mill building and mill equipment were removed from the site prior to the Company's ownership. The established access roads, power line, telecommunications, water rights, a Desert Hawk-owned water well for processing and camp operations, and office and camp infrastructure are all supportive of exploration, mining, and development activities.

#### **Property Ownership and Permitted Activities**

The Atlanta property is 100% held by Desert Hawk. Desert Hawk had been formed as a private company in 2010 to hold the Atlanta project and was purchased by Meadow Bay in 2010 from the company's originators. Casino Gold

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

Corp. (a subsidiary of Nevada King Mining, Ltd.) purchased Desert Hawk from Meadow Bay in 2019 thus acquiring the Atlanta project. Casino Gold Corp. added an additional 255 lode claims to Desert Hawk's original claims in September 2019. The historically producing Atlanta Mine is located within the 12 patented mining claims. At present, no production is occurring from the historical mine site. The unpatented claims are located on United States BLM land. Annual BLM claim maintenance fees are paid for the period through September 1, 2021 and claim maintenance requirements are current with Lincoln County. Property taxes to Lincoln County for the patented mining claims are paid through the end of the fiscal year of 2021.

The BLM has no restrictions that would prevent mining or exploration operations on unpatented land beyond the typical requirements of permitting, bonding and reclamation. Effective August 3, 2020, the BLM accepted Desert Hawk as the operator of the Atlanta Mine project (replacing former project owner Meadow Bay) upon Desert Hawk's posting of a US\$321,744 reclamation bond with the BLM. Desert Hawk is now the operator in the BLM Plan of Operations (NVN 091367) for the project, originally approved by the BLM in 2014 for Meadow Bay. Desert Hawk's permitted on-site activities under the Plan of Operations includes exploratory drilling followed by reclamation of any disturbed areas. The activities are authorized under Reclamation Permit #0360 approved by the Bureau of Mining Regulation and Reclamation of the Nevada Division of Environmental Protection upon posting of the US\$321,744 reclamation bond with the BLM.

#### Royalties, Agreements, and Encumbrances

Production from specific claims on the Atlanta project is subject to net smelter royalties (Table 4): (a) for production on the NBI Claims (135 claims total), Desert Hawk is obligated to a 3% net smelter return to Americas Bullion Royalty Corp.; (b) for production on the Bobcat Claims (48 claims total), Desert Hawk is obligated to pay Bobcat Properties, Inc. (Rutherford Day) a 3% net smelter return royalty for up to 4000 ounces of gold; and, production from the ATL 122, ATL 124, ATL 126, and ATL 156 Claims is subject to a 3% net smelter royalty payable to Exxon Minerals Corporation (these four claims are located in the footprint of the former tailings pond and are not currently part of a production plan). All other claims on the Atlanta project are unencumbered by royalties.

Table 4. Royalty structure for pre-existing claim blocks at Atlanta.							
ROYALTY HOLDER	RELEVANT AREA	NSR	EXPECTED ECONOMIC IMPACT				
Bobcat Properties, Inc.	Atlanta Mine Atlanta Porphyry	3%	Capped at 4,000 ounces gold				
American Bullion Royalty Corp.	Northern Mag Low	3%	Of current targets, only Northern Mag Low falls within the net smelter royalty				
Exxon Minerals Corporation	Tailings	3%	Exxon royalty is not likely to be triggered  – there are no current plans to develop or in any way disturb the tailings facility				

### **Historical Work**

Underground mining along the Atlanta fault commenced in 1905 and small tonnages were intermittently mined via underground and open pit methods by numerous operators up through the 1960's. With rising gold prices in the 1970's, the Standard Slag Company enlarged the Atlanta pit and mined 1.5M tonnes, recovering 110,000 ounces of gold and 800,000 of ounces of silver between 1975 and 1985 (averaging 3 g/t Au and 39 g/t Ag – recovered by milling and agitated leach with cyanide). Subsequent to 1985, explorers included Gold Fields (1990-1991), Kinross Gold Corp ("Kinross") (1997-1998), and Meadow Bay (2011-2018), who collectively completed 58,800 meters of diamond drill and RC drilling. A significant amount of this core as well as drill pulps, RC rejects, and chip trays are preserved in an on-site storage facility.

Nevada King acquired the property from Meadow Bay in 2019 and promptly staked additional lode claims around the core land position, bringing the total property up to 793 lode claims and 12 patented claims, covering 6,388 hectares. Subsequent to acquisition, the Company conducted a reconnaissance scale mapping and sampling program over areas of historical mining/prospecting and has since concluded district-scale soil sampling together with ground gravity and

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

drone magnetic surveys. Soil sample results are still pending, while the geophysical data is currently being integrated with the surface geology preparatory to interpretive analysis and target generation.

#### **Current Resource Estimate (Gustavson 2020)**

The current pit-constrained gold and silver resource estimate for the Atlanta project was completed in December 2020 by Gustavson: 460,000 ounces Au in the measured and indicated category (11.0M tonnes at 1.3g/t) plus an inferred resource of 142,000 ounces Au (5.3M tonnes at 0.83 g/t) utilizing a 0.35 g/t Au cut-off. The estimate incorporates both historical drilling conducted by Kinross and Gold Fields as well as more recent drilling performed by Meadow Bay.

Please refer to the NI 43-101 Technical Report on Resources titled "Atlanta Property, Lincoln County, NV" with an effective date of October 6, 2020, and a report date of December 22, 2020, as prepared by Gustavson and filed under the Company's profile on SEDAR (<a href="www.sedar.com">www.sedar.com</a>).

Resource Category	Tonnes (000's)	Au Grade (ppm)	Contained Au Oz (000's)	Ag Grade (ppm)	Contained Ag Oz (000's)
Measured	4,130	1.51	200	14.0	1,860
Indicated	6,910	1.17	260	10.6	2,360
Measured + Indicated	11,000	1.30	460	11.9	4,220
Inferred	5,310	0.83	142	7.3	1,240

#### **Early Work Conducted by Nevada King**

In 2021 Nevada King completed drone magnetic, gravity and soil sampling surveys over a 52 square kilometer area on the property. The drone magnetic survey conducted by Zonge Geophysical and the gravity survey conducted by Magee Geophysical Services LLC, based out of Reno, Nevada, were completed in Second Quarter 2021. Both surveys were conducted to help locate intrusions, major fault offsets, and strongly altered zones obscured by post-mineral cover. The Company also completed an extensive soil sampling survey which included 1,900 samples taken on a 100 meter by 200-meter grid spacing. NEVADA KING is currently utilizing the geophysical and soil sample results to generate new exploration targets within the district that can be drill-tested concurrently with the resource expansion drilling program.

Rock chip sampling and geologic mapping within and around the Atlanta open pit in early 2021 identified gold mineralization in the 0.3-1.0 g/t grade range along the eastern wall of the pit and extending over 200 meters eastward from the pit edge within an area of almost no historical drilling or sampling. These strong gold anomalies occur along the eastern margin of the Gustavson 2020 conceptual pit shell within a portion of the resource zone classified as waste. Mineralization within the open pit also occurs in strongly silicified and de-calcified dolomite along a northerly trending 100-meter-wide zone of high angle shears and altered felsic dikes that generally parallels the historically-mined Atlanta vein. NEVADA KING's rock sampling of these structure returned gold concentrations up to 1.11 g/t across 23 meters (true thickness) that historically was considered barren. Based both sample sets, the Company saw good potential for extending the Gustavson resource further eastward and southward with shallow drilling.

Recent addition of detailed ground gravity, drone magnetic, and soil sample data infills large gaps in the historical database and now allows Nevada King to evaluate the property's district-scale gold potential. Pre-1930s mining and prospecting activity together with widely scattered historical drill data suggest potential for additional silica brecciahosted gold similar to the Atlanta mine as well as gold mineralization occurring along Paleozoic basement – Tertiary volcanic contacts similar to Liberty Gold Corp's Goldstrike deposit in Utah. Much of the Atlanta district is obscured by alluvium and post-mineral volcanics, so the Company will be pursuing both target types utilizing its new data.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

### 2021 Nevada King Drilling Program

The Company commenced drilling at Atlanta with one RC rig on June 22, 2021, while a second drill began turning in early July. The program was concluded on October 9, 2021, with 66 RC holes completed (Figure 6) ranging from 33 meters to 207 meters in depth and totaling 5,407 meters (see Table 5). Drill results are presented in Table 6.




Figure 6. Location of Nevada King's 2021 RC drill holes (red and green dots) relative to historical drill holes (black circles) and the 2020 Gustavson gold resource zone and pit perimeter. Current historical open pit shown by black hatched line.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

Table 5. Angles and depths of RC holes drilled by Nevada King at Atlanta in 2021. NAD 83 Z11N.

Hole ID	Azimuth	Angle	Depth (m)	UTM E	UTM N	Elev (m)
AT21-001		-90	137.2	733342	4261530	2016.2
AT21-002		-90	137.2	733393	4261520	2012.8
AT21-002T		-90	70.1	733390	4261514	2004.9
AT21-003		-90	198.2	733323	4261454	2016.5
AT21-003T		-90	143.3	733319	4261449	2012.8
AT21-004		-90	137.2	733378	4261445	2016.2
AT21-005		-90	122.0	733429	4261465	2013.7
AT21-006		-90	207.3	733323	4261400	2016.5
AT21-007		-90	152.4	733323	4261400	2015.9
AT21-009A		-90	82.3	733511	4261166	2083.8
AT21-010		-90	152.4	733438	4261143	2062.5
AT21-011		-90	79.3	733513	4261128	2079.0
AT21-013		-90	97.6	733479	4261095	2061.9
AT21-014		-90	45.7	733525	4261089	2079.6
AT21-015		-90	67.1	733479	4261038	2037.2
AT21-016	1	-90	45.7	733563	4261068	2097.9
AT21-018		-90	48.8	733499	4261029	2047.3
AT21-018A	183	-60	73.2	733505	4261024	2038.4
AT21-018B	90	-45	73.2	733507	4261024	2038.4
AT21-019	1 2	-90	67.1	733603	4261026	2107.9
AT21-020		-90	45.7	733647	4261005	2118.9
AT21-024		-90	67.1	733650	4260986	2115.9
AT21-025		-90	39.6	733683	4260996	2118.9
AT21-030		-90	61.0	733644	4260952	2105.8
AT21-030A	278	-45	94.5	733644	4260949	2105.8
AT21-032	270	-90	45.7	733635	4260927	2097.9
AT21-032A	243	-45	91.5	733644	4260930	2097.9
AT21-038	2.3	-90	45.7	733634	4260870	2079.6
AT21-038A	300	-60	51.8	733637	4260870	2079.6
AT21-041	200	-90	36.6	733534	4260753	2124.4
AT21-041A		-90	73.2	733529	4260749	2125.0
AT21-041B	360	-57	82.3	733530	4260751	2124.7
AT21-042	300	-90	64.0	733557	4260754	2065.5
AT21-042A	15	-45	61.0	733550	4260737	2065.2
AT21-042A	15	-90	30.5	733590	4260760	2070.4
AT21-043A	340	-55	45.7	733589	4260762	2070.4
AT21-044	310	-90	36.6	733632	4260755	2080.5
AT21-045		-90	91.5	733509	4260736	2052.4
AT21-046		-90	33.5	733576	4260704	2077.7
AT21-047		-90	97.6	733546	4260677	2091.8
AT21-047	+	-90	73.2	733566	4260678	2089.9
AT21-048	<del> </del>	-90	82.3	733509	4260763	2050.0
AT21-050A	335	-60	182.9	733507	4260760	2052.4
AT21-050A	333	-90	79.3	733569	4260635	2100.0
AT21-051 AT21-052		-90	73.2	733585	4260600	2111.0
AT21-052		-90	102.1	733536	4260646	2101.8
AT21-053	90	-45	76.2	733512	4260922	1980.2
AT21-060 AT21-061	70	- <del>4</del> 3	54.9	733486	4260922	1980.2
AT21-061 AT21-062		-90	73.2	733487		1984.8
A121-002	1	-90	13.4	133481	4260868	1904.0

For the six months ended September 30, 2022 and 2021

Hole ID	Azimuth	Angle	Depth (m)	UTM E	UTM N	Elev (m)
AT21-063		-90	48.8	733481	4260882	1983.2
AT21-064		-90	67.1	733474	4260900	1981.7
AT21-065		-90	61.0	733471	4260915	1980.2
AT21-066		-90	61.0	733476	4260931	1980.2
AT21-067		-90	57.9	733435	4260859	2016.8
AT21-068		-90	73.2	733442	4260829	2016.8
AT21-069		-90	54.9	733581	4260734	2068.6
AT21-070		-90	54.9	733609	4260723	2072.0
AT21-071		-90	42.7	733645	4260839	2089.9
AT21-072		-90	42.7	733534	4260718	2063.7
AT21-101	310	-60	140.2	731477	4259930	2108.2
AT21-102		-90	61.0	731463	4259707	2096.0
AT21-103		-90	54.9	732194	4259985	2064.0
AT21-104		-90	158.5	731039	4260305	2088.4
AT21-105		-90	30.5	732090	4260166	2070.1
AT21-106		-90	128.0	732258	4260014	2062.5
AT21-107		-90	140.2	732716	4259873	2048.8

Table 6. Averaged gold intercepts for 2021 Nevada King RC drilling at Atlanta, using a 0.300 cutoff grade.

Hole #	TD (m)	From (m)	To (m)	Down Hole	Ave Au	GXT
		, ,	, ,	Intercept	(g/t)	(g-m)
				Length (m)		
AT21-001	137.16	94.5	131.1	25.9 +	1.001	26+
AT21-002	137.16	82.3	105.2	22.9	0.707	16
AT21-003	198.12	155.5	173.8	18.3	4.64	85
includes		160.1	169.2	9.1	8.263	
AT21-004	140.21	85.4	118.9	33.5	0.735	25
AT21-005	121.92	99.1	103.7	4.6	0.418	2
AT21-006	207.26	163.1	175.3	12.2	0.959	12
AT21-007	152.4	91.5	111.3	19.8	1.01	20
AT21-009A	82.3	0.0	4.6	4.6	0.377	2
AT21-010	152.4	0.0	10.7	10.7	2.298	25
AT21-011	79.25	0.0	19.8	10.7	0.973	10
AT21-013	97.54	53.4	67.1	13.7	0.816	11
AT21-014	45.72	0.0	24.4	24.4	0.353	9
AT21-015	67.06	24.4	42.7	9	0.669	6
AT21-016	45.72	1.5	7.6	6.1	0.438	3
AT21-018	48.77			0	< 0.300	0
AT21-018A	73.15	16.8	42.7	29	1.103	32
AT21-018B	73.15			0	< 0.300	0
AT21-019	67.06			0	< 0.300	0
AT21-020	45.72			0	< 0.300	0
AT21-024	70.1			0	< 0.300	0
AT21-025	39.62			0	< 0.300	0
AT21-030	60.96			0	< 0.300	0
AT21-030A	94.49	9.1	91.5	21.3	0.718	15
AT21-032	45.72			0	< 0.300	0
AT21-032A	91.44	57.9	67.1	9.1	0.873	8
AT21-038	45.72	0.0	32.0	32	0.589	19
AT21-038A	51.82	0.0	36.6	36.6	0.653	24

Management's Discussion and Analysis

For the six months ended September 30, 2022 and 2021

Hole #	TD (m)	From (m)	To (m)	Down Hole Intercept	Ave Au (g/t)	G X T (g-m)
				Length (m)	(8 )	,
AT21-041	36.58	29.0	36.6	7.6+	0.401	3+
AT21-041A	73.15	38.1	61.0	22.9	2.167	50
AT21-041B	82.3	38.1	73.2	35	1.173	41
AT21-042	64.01	9.1	36.6	27.4	0.793	22
AT21-042A	60.96	18.3	50.3	32	0.801	26
AT21-043	30.48	10.7	29.0	18.3	0.951	17
AT21-043A	45.72	19.8	33.5	13.7	1.9	26
AT21-044	36.58	4.6	24.4	19.8	0.482	10
AT21-045	91.44	50.3	91.5	41.2+	1.031	42+
AT21-046	33.53	7.6	19.8	12.2	1.78	22
AT21-047	97.54	67.1	74.7	7.6	0.725	8
AT21-048	73.15	29.0	64.0	12.2	0.401	5
AT21-050	82.3	48.8	79.3	30.5	1.391	42
AT21-050A	182.88	141.8	178.4	36.6	1.006	37
AT21-051	79.25	32.0	51.8	6.1	0.367	2
AT21-052	73.15	13.7	15.2	1.5	0.981	1
AT21-053	102.11	62.5	83.8	21.3	0.309	7
AT21-060	76.2			0	< 0.300	0
AT21-061	54.86	3.0	36.6	33.5	0.598	20
AT21-062	73.15	9.1	64.0	54.9	5.341	293
includes		30.5	41.2	10.7	11.191	
AT21-063	48.77	7.6	48.8	41.2	3.939	162
includes		38.1	47.3	9.1	9.228	
AT21-064	67.06	3.0	67.1	64	3.351	215
includes		50.3	62.5	12.2	6.88	
AT21-065	60.96	3.0	51.8	48.8	2.319	113
AT21-066	60.96	3.0	57.9	54.9	2.62	144
includes		51.8	54.9	3	13.35	
AT21-069	54.86	3.0	18.3	15.2	1.006	15
AT21-070	54.86			0	< 0.300	0
AT21-071	42.67			0	< 0.300	0
AT21-072	42.67	35.1	42.7	7.6+	0.769	6+
AT21-101	140.21	12.2	42.4	3	0.45	1
AT21-102	60.96			0	< 0.300	0
AT21-103	54.86			0	< 0.300	0
AT21-104	158.5	16.8	22.9	3	0.402	1
AT21-105	30.48			0	< 0.300	0
AT21-106	128.02			0	< 0.300	0
AT21-107	140.21			0	< 0.300	0

Additionally, three vertical core holes totaling 183m were drilled as a check on the RC drilling. Assay results for these holes are still pending.

The primary objectives of the Phase 1 drilling were to (1) confirm results from historical RC and core holes located along the eastern margin of the Gustavson 2020 Resource, (2) expand the 2020 resource northward, eastward, and southward into areas of sparse to non-existent historical drilling, and (3) expand upon the high-grade core mineralization seen in deeper historical holes along the eastern side of the Gustavon 2020 Resource zone. In addition to the resource expansion drilling, the Company also drilled seven scout holes (AT21-001 through AT21-007) in other parts of the Atlanta District testing a variety of geochemical and geophysical anomalies.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

The 2021 drilling program conclusively demonstrated the existence of low and moderate grade gold mineralization north, south, and east of the Gustavson 2020 resource model such that good potential exists for significantly expanding upon the current resource model and also reducing the strip ratio upon mining. Overall, the Company found more gold and higher grades than were expected given the historical data. Nevada King's denser drill hole patterns within shallow portions of the Atlanta epithermal system reveal a near-horizontal silicified replacement horizon hosting the bulk of gold mineralization that was progressively down-dropped westward along a series of high-angle, northerly trending faults collectively referred to as the Atlanta Mine Fault Zone (Figures 7 and 8). These high-angle faults served as the "feeder" structures for channeling gold-bearing fluids into the low-angle, silicified collapse breccia zone that occurs along the basal contact of a gently west-dipping quartz monzonite sill.

This model for mineralization at Atlanta differs substantially from the historical structural model that posited gold mineralization along a 45° west-dipping listric fault (the Atlanta Vein) that flattened with depth and did not recognize the westward step-down fault displacement of the low-angle replacement horizon. In essence, the historical model attributed gold mineralization within the Atlanta pit (and Gustavson 2020 resource model) to a single fault zone, whereas Nevada King's model contends the bulk of gold mineralization is confined to the low-angle replacement zone while higher grades occur along high-angle faults cutting across and off-setting the replacement horizon. This difference in structural models is important in that Nevada King's scenario adds substantial, shallow tonnage east of the Atlanta Mine Fault Zone where the Gustavson resource model excluded all mineralization. Nevada King's model also holds promise for substantially increasing both tonnage and grade along the 40m to 80m wide Atlanta Mine Fault Zone, where narrow fault blocks 20m-40m wide hosting the replacement horizon have been progressively downdropped westward. Historically, this structural zone was largely defined by angle holes drilled eastward into the apparent 45° west-dipping Atlanta Vein. However, in Nevada King's structural model, it would be difficult to fully penetrate the narrow, downdropped fault slices of the replacement horizon hosting the bulk of gold mineralization with holes drilled eastward at -45° to -55° angles. Closely spaced vertical holes are the best method for fully penetrating the replacement horizon and defining the high-angle fault offsets along which higher grades are anticipated.

Historical drilling west of the open pit hit higher grade mineralization generally at depths of 100m and more beneath the bottom of the pit. One of Nevada King's 2021 objectives centered on drill-testing the western side of the open pit to see whether or not this higher-grade mineralization extended to the surface. Five vertical RC holes (AT21-062 through AT21-066) oriented along a N-S line following the Atlanta Mine Fault Zone were drilled at the base of the pit. As seen in Table 6, the high gold grades hit in these holes prove the extension of higher-grade gold mineralization to the surface, as shown in Figure 8. Confirmation of near surface oxidized high grade gold mineralization within the open pit adds a new element to Nevada King's Atlanta resource expansion program. Good potential now exists for significantly increasing both grade and tonnage of the current resource model with addition of hitherto unrecognized shallow high-grade mineralization located above and immediately east of the Gustavson resource boundary. Nevada King recognizes the importance of expanding these shallow high-grade intercepts laterally along strike of the Atlanta Mine Fault zone as well as from the surface down to the deep high-grade intercepts seen in a number of historical holes, many of which are below the deepest extent of the Gustavson 2020 resource model. A mix of closely spaced, vertical core and RC holes will be used in this high-grade expansion program in order to: (1) minimize drilling costs, (2) maximize sample quality, and (3) facilitate higher grade resource definition. Moving into the 2022 exploration program at Atlanta, the Company will concentrate more on expanding the high-grade potential, both with respect to building grade in the open pit resource and defining resource more amenable to underground mining. This highergrade mineralization now holds promise for establishing early cash flow in the event of an open pit operation.




Figure 7. Cross section "A-A" showing gold distribution in the Nevada King RC holes drilled across southern end of the historical Atlanta open pit. Eastern margin of 2020 Gustavson gold resource model is defined by historical holes noted in orange. Gold mineralization occurs beneath a quartz monzonite intrusive sill within a strongly silicified collapse breccia horizon developed along the intrusive contact and between the Laketown Dolomite and underlying Ely Springs Dolomite units. The shallow-dipping mineralized horizon is sharply down-dropped on west side of section along a series of high angle faults constituting the historical Atlanta Mine Fault zone.






Figure 8. Cross section H-H' showing gold distribution in the Nevada King RC holes drilled across the center of the historical Atlanta open pit. Eastern margin of 2020 Gustavson gold resource model is located west and below intercept in AT21-062. Gold mineralization hit in AT21-062 extends the Gustavson resource model further eastward and up to the bottom of the pit.

### 2022 Phase II Drilling Program

The Phase II program consists of 13,100m in 100 holes, divided into 10,000 meters of vertical RC drilling and 3,100 meters of vertical core drilling as shown in Figure 9. Pre-collar holes drilled through overburden comprise much of the RC meterage while core tails through the silicified breccia horizons hosting most of the higher gold grades account for the core meterage. This new program will focus more on expanding high-grade mineralization along and west of the Atlanta Mine Fault Zone, starting at high-grade holes drilled in 2021 and progressively moving along strike and down dip to the west. Numerous historical holes failed to fully penetrate the higher-grade core zones at depth, so Nevada King's 2022 drilling will also involve re-drilling these gaps within overall resource zone, tying them into adjacent high-grade intercepts, and expanding the known high-grade mineralization into areas of low historical drill density.




Figure 9. Nevada King's 2022 Phase II drill plan for the Atlanta Mine. Consisting of 13,100 meters in 100 drill holes.

Nevada King's 2022 program is also designed to provide a much better approximation of the high-grade potential by utilizing vertical, cased RC pre-collar holes together with HQ and PQ core tails through the mineralization horizon. The Phase II program will step-out and test new the high-grade discovery below the old Atlanta pit; which returned 5.34 g/t Au over 54.9 meters, 3.91 g/t Au over 41.2 meters, and 3.35 g/t Au over 64.1 meters from 3 holes all starting at surface as shown in Figure 10 and Table 7. The 2022 program will also test additional high-priority targets over 1.2 kilometers of strike.




Figure 10. Cross section I-I' showing distribution of high-grade intercepts drilled from surface at the bottom of the historic pit in a fence of 5 RC drill holes from the Phase I 2021 drill campaign. Mineralization hit within AT21-066 – AT21-062 extends the upper limit of the Gustavson 2020 Resource Model up to the bottom of the existing pit.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

Table 7. Intervals and average gold grade of high-grade oxide mineralization drilled within a fence-line of 5 RC holes at the bottom of the historic Atlanta pit.

Hole #	Top of Interval	Length of Interval	Average Au Grade
AT21-062	Surface	54.9m	5.34 g/t
includes	30.5m	10.7m	11.19 g/t
AT21-063	7.6m	41.2m	3.94 g/t
includes	38.1m	9.1m	9.23 g/t
AT21-064	3m	64m	3.35 g/t
includes	50.3m	12.2m	6.88 g/t
AT21-065	3m	48.8m	2.32 g/t
AT21-68C	99.1m	21.0m	3.28 g/t
includes	100.5m	5.7m	7.62 g/t
AT21-003	160.1m	9.1m	8.26 g/t

Based on re-interpretation of the Atlanta geological model incorporating high-grade discovery intervals from the Phase I program, the Company is optimistic this Phase II drilling can result in a significant increase in gold resource, both by adding mineralization within the current resource zone together with expanding the resource outside of the current pit shell.


The company commenced drilling on June 7th, 2022, initially with one reverse circulation drill rig and soon afterward adding two more RC drills and a single diamond core rig. Based on assay results received to date, drill hole logging and ongoing geological interpretation based on this work, target areas at Atlanta continue to grow and the company plans to extend drilling into the winter months with two rigs active.

Assays from initial 13 holes of the 2022 drill campaign include intercepts of:

Table 8. Highlight assays from 13 holes at Atlanta Gold Mine Project

Hole No.	From (r	n)	To (m)	Interval (m)	Au (g/t)
AT22-RC1	48.8	88.4	39.6	0.55	
AT22-RC2^	30.5	150.9	120.4	1.49	
Including	138.7	147.9	9.1	10.58	
AT22-RC3	9.1	16.8	7.6	6.79	
AT22-RC4^	7.6	64.0	56.4	0.86	
AT22-RC5	30.5	61.0	30.5	1.77	
AT22-RC6^	32.0	64.0	32.0	0.36	
AT22-RC8	6.1	56.4	42.7	0.82	
AT22-RC9^	0.0	22.9	22.9	0.53	
And 67.1	144.8	77.7	0.62		
AT22-RC12^	0.0	57.9	57.9	1.38	
Including	44.2	51.8	7.6	4.04	
AT22-RC16	6.1	18.3	12.2	2.12	
AT22-RC17	33.5	59.5	25.9	1.71	
AT22-RC18	9.1	25.9	16.8	1.12	
AT22-RC19	9.1	22.9	13.7	0.93	

^Denotes angle hole. True widths are unknown at this time.






Figure 11. Location map for 2022 holes drilled at the southern boundary of the historic pit and previous drilling.

Initial Phase II holes were drilled south of the Atlanta pit to test the southern extension of the Atlanta Mine Fault Zone ("AMFZ"). This drilling has identified a number of high-grade and high-angle structures within the silicified breccia unit that are interpreted to be responsible for offsetting and feeding the mineralized horizon (see Figures 12 and 13). These structures are located west of the AMFZ and appear to be a major conduit for gold mineralizing fluids at Atlanta. Six holes intercepted high-grade gold mineralization in these structures (see table 8) with grades in these intervals ranging from 3.3 to 29.7 g/t, significantly exceeding the grades of prior intervals in these structures which generally did not exceed 3 g/t in this area. This demonstrates that areas directly south and southeast of the pit, which have remained largely ignored by past drilling, are primed for resource expansion, and are returning high-grades and thicknesses than seen in past drilling in the vicinity.

In particular are two angle holes: AT22-RC2 which intercepted 120.4 meters of 1.49 g/t Au including 9.1 meters of 10.54 g/t Au and AT22-RC9 which intercepted 22.9 meters of 0.53 g/t Au and 77.7 meters of 0.62 g/t Au were drilled south of the pit and bottomed in mineralization. Both of these drill holes encountered higher-grade and thicker gold

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

mineralization (see Figure 12 and 13) compared to past drilling along the southern pit margin, opening up a large untested area for further expanding the resource to the south.




Figure 12. Section A-A' across the southern end of the historical Atlanta pit showing the "roll-over" in dip of the mineralized zone from horizontal on the east to 45 degrees on the west with the intersection of the mineralization by AT22-RC02 and AT22RC-12. Note the close relationship between felsic tuff dike breccia bodes and Au mineralization.

Angle hole AT22-RC12, collared at the far southeastern corner of the Atlanta pit about 40 meters east of the nearest Nevada King hole, tested an area with no past drilling and encountered a thick section of gold mineralization returning 57.9 meters of 1.38 g/t Au, starting at surface. This now opens up a new area along the eastern side of the pit for further expanding the resource and adds impetus for dill-testing the immediately adjacent East Ridge Target zone.

The close association between high grade gold mineralization and the strongly altered, and in places mineralized, felsic tuff dike breccia unit raise a number of possibilities for interesting significantly high gold grades along the southern extension of the AMFZ as documented by historical holes located west of the open pit and generally below 200-meter depth. Additionally, variably mineralized altered tuff dikes and tuff dike breccia mapped in outcrop and prospect pits several hundred meters south and southeast of the pit appear correlative with the tuff dike breccia associated with higher grade gold mineralization notes in the current drilling. This now provides new target zones to target for near surface gold mineralization that will be tested by Nevada King's ongoing 2022 drill program.

Additional 2022 campaign drilling within the historic pit floor followed up on high-grade oxide Au results provided from 2021 drilling which intercepted 54.9 meters of 5.34 g/t Au in AT21-62, 41.2 meters of 3.94 g/t Au in AT21-63, 64.1 meters of 3.94 g/t Au in AT21-64, and 48.8 meters of 2.32 g/t Au in AT21-65. Four new holes were collared approximately 10 meters to the east of the 2021 fence of drill holes (see Figure 14 and Table 9) and conclusively

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

defined the footwall contact of the high-grade AMFZ, including its steep westward dip. Moving forward, deeper Phase II holes will test the down-dip extension of mineralization further to the west.




Figure 13. Section B-B' across the southern extension of the Atlanta Mine Fault Zone 150 meters south of the historical Atlanta pit, showing same dip roll-over in the mineralized zone and same Au-tuff dike breccia association as seen in Figure 12 to the north. More drilling is planned west of AT21-053 to follow-up the intercept in AT22-RC09.

Table 9. Highlight assays from four expansion holes at the bottom of the historic pit 10m east of 2021 drill holes. ^ Denotes angle holes.

Hole No.	From (m)	To (m)	Interval (m)	Au (g/t)
AT22NS-46	4.6	59.5	54.9	3.41
AT22NS-56	4.6	54.9	50.3	2.65
AT22NS-43	0	27.4	27.4	1.97
AT22NS-61A^	6.1	57.9	51.8	2.23

For the six months ended September 30, 2022 and 2021




Figure 14. Location map for holes drilled at the bottom of the historic pit on the eastern perimeter of mineralization.

To date the Phase II drilling has provided the Company with a much better understanding of the host geology and controls on the spatial distribution of gold mineralization, both of which greatly facilitate drill targeting. Rehabilitation of benches in the historical pit over the past months has enabled drilling of critical structures that were inferred from deep angle holes drilled by previous operators from sites west of the pit.

For the six months ended September 30, 2022 and 2021




Figure 15. Cross section C-C' looking north across the center of the historical Atlanta pit illustrating normal fault displacement on the steeply dipping Atlanta Mine Fault and progressive down-drop across parallel faults to the west. The Eureka Quartzite is shown in fault contact with the silica breccia and dolomite units and appears to cut off the Atlanta Fault at depth, but this interpretation is based on historical drill hole, and in other sections the Atlanta Fault clearly displaces the quartzite contact.

Recent drilling of the AMFZ's eastern contact with massive dolomite has defined a northerly trending, curvilinear plane dipping 75 to 85 degrees west. This major fault boundary defines the eastern limit of the much broader mineralized fault zone that incorporates multiple sub-parallel strands exhibiting vertical displacements ranging up to 75m across individual faults (see Figures 15 and 16). Both normal and reverse displacements are noted. Most of the gold mineralization at Atlanta is hosted within a densely silicified breccia zone that developed along an unconformable contact separating a basal carbonate sequence of Paleozoic-age limestone and dolomite form an overlying Tertiaryage, caldera-related volcanic package consisting of felsic to intermediate composition tuff, volcaniclastics, and epiclastic sediments. This major contact dips 20 to 30 degrees northwestward and generally ranges in thickness form 10m to 40m, although mineralization does extend downward into decalcified dolomite (see Figure 16) and upward into the volcanic sequence (see Figure 16) in places throughout the deposit. Residual sulfides containing gold are occasionally encountered, but gold mineralization for the most part is strongly oxidized down to depths of 350m. Sulfides do occur in strongly altered volcaniclastics and sediments overlying the mineralized silica breccia zone, but pyritic rock does not generally host gold values greater than 0.1 g/t and appears to be an early-stage hydrothermal event that was over-printed by oxide-dominant gold stage. High-angle, northerly and easterly-trending faults cutting up through both rock sequences served as "feeder structures" for ascending epithermal fluids and channeled goldbearing solutions into the very porous and receptive silica breccia zone. Higher gold grades tend to be concentrated around the intersections of these high-angle faults with low-angle silica breccia zone. The strongly argillized volcanic sequence overlying the silica breccia served as an effective seal or cap on top of the hydrothermal system that contained the metalliferous fluid within the breccia zone, thus concentrating the gold mineralization. Rhyolitic dikes and sills were injected into the deposit along the high-angle feeder faults and low-angle breccia zone approximately at the same time as the gold mineralization, and shallow explosive venting of theses intrusions created the distinctive "tuff dikes" that are closely associated both in space and time with the gold event.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021




Figure 16. Cross section D-D' looking north across the south-central part of the historical Atlanta pit showing progressive down-drop of the mineralized silica breccia zone and the basal quartzite contact along a series of parallel faults comprising the Atlanta Mine Fault Zone. Note the start of gold mineralization in the volcanic/sedimentary package above the silica breccia horizon at the left side of the section.

During the Phase II drill program 24 shallow holes were drilled to test the waste dumps surrounding the historic pit to the north and west from previous mining operations (see Figure 14). This dump-hosted gold mineralization could play an important role in any future mining scenario as an expansion of the Atlanta pit to the west would necessitate relocating the material. Based on the grades and widths identified in the first pass of dump drilling, results show a good potential that a significant portion of this material could be heap leached in future operations (see table 10). Additional drilling is planned to further define this mineralization, along with metallurgical test work to assess its economic potential.

Table 10. Compiled list of highlighted gold intercepts from 2022 dump drilling and pre-collars.

Hole No.	Type of Hole	From (m)	To (m)	Interval (m)	Au (g/t)
AT22D-1	Dump Hole	15.2	19.8	4.6	0.29
AT22D-2	Dump Hole	16.8	25.9	9.1	0.39
AT22D-3	Dump Hole	0	6.1	6.1	0.27
AT22D-4	Dump Hole	7.6	27.4	19.8	0.26
AT22D-5	Dump Hole	15.2	25.9	10.7	0.16
AT22D-8	Dump Hole	7.6	9.1	105	0.37
AT22D-9	Dump Hole	7.6	16.8	9.1	0.72
AT22D-10	Dump Hole	9.1	21.3	12.2	0.62
AT22D-11	Dump Hole	18.3	25.9	7.6	0.57
AT22D-14	Dump Hole	0	16.8	16.8	0.75
AT22D-18	Dump Hole	0	10.7	10.7	0.36

Management's Discussion and Analysis

For the six months ended September 30, 2022 and 2021

Hole No.	Type of Hole	From (m)	To (m)	Interval (m)	Au (g/t)
AT22D-20	Dump Hole	3.0	24.4	21.3	0.16
AT22D-23	Dump Hole	4.6	13.7	9.1	1.21
AT22D-28	Dump Hole	0	13.7	13.7	0.19
AT22D-29	Dump Hole	12.2	13.7	1.5	0.22
AT22D-30	Dump Hole	0	21.3	21.3	0.20
AT22D-31	Dump Hole	0	16.8	16.8	0.61
AT22D-33	Dump Hole	0	15.2	15.2	0.78
AT22D-34	Dump Hole	0	12.2	12.2	0.54
AT22D-43	Dump Hole	3.0	10.7	7.6	0.28
AT22D-45	Dump Hole	10.7	13.7	3.0	0.25
AT22NS-22	Dump/Pre-Collar	6.1	30.5	24.4	0.47
AT22NS-26	Dump/Pre-Collar	0	4.6	4.6	0.47
AT22NS-28	Dump/Pre-Collar	0	1.5	1.5	0.26

Table 11. Full list of 4 RC holes released November 23, 2022.

Hole No.	From (m)	To (m)	Interval (m)	Au (g/t)
AT22NS-12	175.3	195.1	19.8	1.77
AT22NS-13	135.7	160.1	24.4	1.67
AT22NS-14	99.1	143.3	44.2	0.71
AT22NS-16	91.5	106.7	15.2	0.54
AT21-003*	155.5	173.8	18.3	4.64

<sup>\*</sup>Denotes NKG hole reported in 2021.

On November 23, 2022, the Company announced assay results (Table 11) from 4 reverse circulation ("RC") holes recently completed that were designed to better define the northern extension of the Atlanta Mine Fault Zone. These 4 holes cut across the northern projection of the AMFZ through high-grade discovery hole AT21-003, which was drilled in 2021, 560 meters north of the historic Atlanta pit, intercepting 9.1 meters of 8.26 g/t Au, within a broader intercept of 18.3 meters of 4.64 g/t Au. This hole opened up a new target area well outside the current resource called the North Extension Target ("NET"), shown in Figure 17. As shown in Section E-E' (Figure 18), these holes, along with AT21-003 and three historic holes drill-define a gold mineralized zone that is over 300 meters wide along the section line and remains open both to the west and east, indicating the presence of a strong gold system in the NET. Mineralization is hosted in silica breccia and is relatively sub-horizontal and down-faulted to the west along the AMFZ. Gold grade and mineralized thickness are greatest within the fault zone, as seen in AT21-003, AT22NS-12 and AT22NS-13, while grade tends to decrease laterally west and east from the AMFZ. By comparing gold grades in ATNS-016 and DHRI-11-04RC, mineralization appears to be strengthening east of Section E-E' toward the East Ridge Target ("ERT"), which remains untested by drilling.

Assays for holes completed south of Section E-E' are still pending and the results will determine whether or not the NET mineralization can be tied to the main resource zone around the Atlanta pit. The NET target area measures roughly 600 meters north-south from the pit to Section E-E'. The mineralized zone on Section E-E' averages 25 meters in thickness with average grades approaching 1.5 g/t Au across a minimum width of 300 meters east-west. If the NET mineralization can be tied to the main resource, it could significantly enlarge the-footprint of the overall mineralized gold zone at Atlanta.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021




Figure 17. Location map for holes reported in this news release along section E-E' relative to the perimeter of the historical Atlanta pit and 2020 Gustavson pit shell.




Figure 18. Cross section E-E' looking north across the northern extension of the AMFZ about 500 meters north of the historical Atlanta pit. Mineralization hit in historical hole 170 meters west of section and remains open to the west, while mineralization remains open east of DHRI-11-04RC. Westward normal fault displacement on the mineralized horizon across the steeply-dipping Atlanta Mine Fault is evident.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

### **Metallurgical Testing**

The company has initiated a rigorous cyanide solubility testing program encompassing all of its 2021 drilling (Table 12) and extending to historical drill pulps. Historical cyanide test work almost exclusively focused on deeper, high-grade zones west of the historical pit and involved only a handful of bottle roll tests. The 2022 testing program will include shallow, high-grade oxide mineralization along the Atlanta Mine Fault Zone together with the shallow, low-grade mineralization occurring north, east, and south of the Gustavson 2020 resource zone.

Gold cyanide solubility of 54 RC holes across 986 samples shown in Figure 19 demonstrated a weighted average of 86.7% (Table 13) indicating gold mineralization at Atlanta is not refractory due to sulfides or organic carbon or encapsulated by silica at fine particle size. Consequently, Nevada King's 2022 resource definition and expansion drilling program will include additional shallow RC drilling to test lower grade zones outside of the Gustavson resource zone in areas previously considered waste. The cyanide solubility tests also indicate higher-grade mineralization has higher cyanide solubility than the low-grade material. Referring to Table 14, a noticeable difference in gold solubilities is seen in the fire assay data at 1.50 g/t. Samples exceeding 1.50 g/t Au comprise 21.7% of the entire test sample population, averaging 3.88 g/t and 87.7% gold solubility. In contrast, samples running less than 1.50 g/t returned gold solubilities in the 83% range.

The Stage 2 metallurgical testing program will therefore include conventional crush and high-pressure grinding roll ("HPGR") comminution column leach tests on low-grade and higher-grade mineralization along the Atlanta Mine Fault zone to test the potential for heap leaching portions of the resource. Based on such encouraging gold cyanide solubility data, the Company is also expanding its cyanide testing program to include pulps from mineralized historical drill holes located-west of the existing pit to determine gold solubilities within the Gustavson 2020 resource zone. Under the direction of Gary Simmons, bulk sampling within and around the pit will soon commence, together with a PQ core drilling program designed to provide samples for bottle roll and column leach testing.

Metallurgical consultant Gary Simmons stated: "The gold cyanide solubilities reported by AAL demonstrate the consistent oxidized nature of the mineralized gold system at the Atlanta Mine. The high cyanide solubilities lead to the conclusion that cyanide leach milling and conventional crush and/or HPGR heap leach process flow sheet options are potentially viable and will be tested on PQ metallurgical core samples planned for 2022. Additional ICP sulfur (S) analysis by AAL has shown higher than anticipated S content. Upon further review, it was determined that most of the elevated ICP sulfur assays are associated with the sulfate minerals, barite and gypsum and not sulfides. Additional testing by AAL has already been designed to determine the most appropriate method to remove the sulfur Metallurgical consultant Gary Simmons stated: "The gold cyanide solubilities reported by AAL demonstrate the consistent oxidized nature of the mineralized gold system at the Atlanta Mine. The high cyanide solubilities lead to the conclusion that cyanide leach milling and conventional crush and/or HPGR heap leach process flow sheet options are potentially viable and will be tested on PQ metallurgical core samples planned for 2022. Additional ICP sulfur (S) analysis by AAL has shown higher than anticipated S content. Upon further review, it was determined that most of the elevated ICP sulfur assays are associated with the sulfate minerals, barite and gypsum and not sulfides. Additional testing by AAL has already been designed to determine the most appropriate method to remove the sulfur contained in barite and gypsum sulfates to obtain a more representative total sulfur analysis using ICP."

For the six months ended September 30, 2022 and 2021




Figure 19. Location of Nevada King's 2021 drill holes analyzed for cyanide-soluble gold. Blue lines denote strands of Atlanta Mine Fault Zone.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

**Table 12.** Summary of gold cyanide solubility tests on 986 drill hole intervals from Nevada King's 2021 program. Due to natural variation in the distribution of gold in the samples, certain samples demonstrate higher than 100% gold solubility. In such cases, the split that was analyzed via fire assay may have fewer gold particles in it than the split that was used for the CN solubility analysis.

Range in Average Au Solubility (%)		Number of Samples	% of Total Samples
From	To	ramber of samples	(986)
	>100^	39	4
90	100	273	28
80	90	365	37
70	80	192	19
50	70	94	10
<50		23	2

Table 13. Averaged gold solubilities with cyanide for 986 sample intervals from 54 RC holes drilled at Atlanta by Nevada King in 2021.

Hole ID	Number of	Average Fire Au	Average CN Au	Average Au
noie iD	Samples	(ppm)	(ppm)	Solubility (%)
AT21-032A	17	0.446	0.404	91
AT21-002	28	0.477	0.431	90
AT21-015	16	0.402	0.361	90
AT21-025	6	0.114	0.103	90
AT21-043	15	0.811	0.733	90
AT21-003	19	2.992	2.665	89
AT21-018A	32	0.727	0.642	88
AT21-019	3	0.191	0.163	86
AT21-041	6	0.379	0.325	86
AT21-042	24	0.639	0.550	86
AT21-018B	3	0.156	0.133	85
AT21-016	12	0.245	0.206	84
AT21-005	13	0.230	0.192	83
AT21-041B	22	1.233	1.020	83
AT21-042A	32	0.588	0.490	83
AT21-007	24	0.646	0.528	82
AT21-011	11	0.674	0.554	82
AT21-032	3	0.113	0.093	82
AT21-038A	25	0.634	0.518	82
AT21-001	23	0.789	0.637	81
AT21-004	29	0.591	0.476	81
AT21-009A	14	0.247	0.200	81
AT21-024	2	0.130	0.105	81
AT21-038	23	0.553	0.449	81
AT21-041A	21	1.593	1.285	81
AT21-010	13	1.326	1.062	80
AT21-030A	27	0.456	0.364	80
AT21-018	4	0.161	0.128	79
AT21-014	16	0.357	0.276	77

# Nevada King Gold Corp. Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

	Number of	Average Fire Au	Average CN Au	Average Au
Hole ID	Samples	(ppm)	(ppm)	Solubility (%)
AT21-013	14	0.591	0.404	68
AT21-006	16	0.598	0.364	61
AT21-020	2	0.126	0.065	52
AT21-043A	22	0.870	0.795	91
AT21-044	19	0.390	0.278	71
AT21-045	28	0.994	0.874	88
AT21-046	18	0.902	0.829	92
AT21-047	7	0.564	0.490	87
AT21-048	23	0.268	0.230	86
AT21-050	20	1.391	1.132	81
AT21-050A	25	0.973	0.730	75
AT21-051	18	0.195	0.168	86
AT21-052	12	0.225	0.204	91
AT21-053	14	0.320	0.291	91
AT21-060	3	0.228	0.197	86
AT21-061	27	0.527	0.441	84
AT21-062	39	4.941	4.474	91
AT21-063	31	3.449	3.001	87
AT21-064	44	3.210	2.928	91
AT21-065	37	2.031	1.832	90
AT21-066	38	2.491	2.226	89
AT21-069	23	0.555	0.424	76
AT21-070	7	0.200	0.169	84
AT21-071	1	0.151	0.120	79
AT21-072	15	0.371	0.290	78
<b>Total Weighted Av</b>	erage Au Recovery			86.7

Table 14. Gold solubility with respect to gold grade.

Gold Grade Range g/t	Number of Samples	% of Total Samples	Average Au by Fire Assay (ppm)	Average Au Solubility (%)
>4.00	62	6.3	7.28	88.7
3.00-4.00	40	4.1	3.49	86.0
2.00-3.00	60	6.1	2.45	88.1
1.50-2.00	51	5.2	1.74	87.2
1.00-1.50	74	7.5	1.21	83.8
0.50-1.00	160	16.2	0.71	82.3
0.20-0.50	299	30.3	0.32	82.7
0.10-0.20	240	24.3	0.14	82.7

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

# **Geology and Mineralization**

Figure 20 shows the district-scale distribution of major rock types in relation to the current Gustavson resource zone. The district itself measures about 8 kilometers by 6 kilometers in plan and is structurally dominated by the N-S striking, W-dipping Atlanta fault and the NW-trending Silver Park fault zone. The Atlanta fault is considered to be the eastern ring fracture boundary of the Oligocene-age (29.5 Ma) Indian Peak caldera, while gold mineralization throughout the Atlanta district appears to be coeval with caldera formation. The Atlanta fault generally separates Paleozoic carbonates and quartzite in the east block from Tertiary rhyolite, tuff, and tuffaceous sediments comprising the west block. A splay in the Atlanta fault localized intrusion of the Atlanta quartz monzonite porphyry and the related gold mineralization along the west-dipping contact (Atlanta Mine Fault Zone) separating carbonates on the east from down-dropped Tertiary volcanics and porphyry on the west. Epithermal-type, low-sulfidation gold mineralization occurs within strongly silicified, brecciated carbonates along and adjacent to the mine fault and within hanging wall volcaniclastics and porphyry intrusions proximal to the contact.




Figure 20. Generalized geology of the Atlanta district. Historical drill holes shown by circles. Atlanta open pit is located in the center of the 2020 Gustavson pit-constrained resource zone.

The other historical mines in the district are largely controlled by the Silver Park shear zone. Located 6 kilometers west of the Atlanta pit, a large area of altered intrusive rhyolite and felsic tuff comprising the Western Knolls target hosts scattered low grade gold anomalies and elevated tracer element (As, Sb, Hg, Te) concentrations. The tellurium anomalies made Meadow Bay think another mineralized stock at depth may be responsible for the widespread alteration seen at Western Knolls. Two holes drilled into the northern end of the target area returned geochemically

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

anomalous gold, but the values were not high enough to justify continuing the program, even though the altered area is very large.

Mining in the Atlanta pit ceased in 1985 due to falling gold price and rapidly increasing strip ratio, particularly on the east (Ely Springs Dolomite) and south (Eureka Quartzite) where steep slopes precluded mining grades averaging 2.5 g/t recoverable, or about 3 g/t head grade. Very little attention was given to the east side of the Atlanta Mine Fault Zone, as it was generally believed that there was very limited potential for finding additional mineralization, particularly at an average grade of 2 to 3 g/t. This prejudice followed the property up to the point of Nevada King's involvement.

The Atlanta Mine Fault Zone was historically presumed to be the main mineralizing feature at Atlanta, while gold mineralization occurring east of the fault was considered inconsequential, in large part due to the low grade. However, scattered gold hits in several historical drill holes along the east side of the Atlanta pit opened the door for alternative structural interpretations. Nevada King therefore started looking at the eastern side of the open pit and up on the steep slope further eastward, where the Company noted a variety of different structures, all of which accompanied gold mineralization in outcrop. A major NNE-striking, 45° west-dipping contact identified as the East Side fault in Figure 12 was mapped along the southeastern rim of the pit and up onto the high ridge east of the pit. This silicified breccia zone hosts strongly silicified and argillized felsic tuff dikes and divides massive Ely Springs Dolomite on the east from variably silicified Ely Springs Dolomite and Laketown Dolomite on the west. Outcrop samples along this structure returned values up to 1.50ppm Au across 5 meters.

Nevada King therefore considers the East Side fault to be a second, important control over gold distribution at Atlanta, while several other vertical to steeply east dipping, northerly trending faults with altered tuff dikes chop up the Ely Springs Dolomite across the eastern half of the open pit area, dropping narrow wedges of strongly silicified Laketown Dolomite into variably decalcified blocks of massive Ely Springs. The felsic tuff dikes typically show evidence of volatile brecciation, and adjacent Laketown Dolomite beds show evidence of collapsed brecciation and subsequent silica replacement. Nevada King's 2022 drilling program will be exploring this low-grade mineralization along the East Ridge Target (Figure 15) in areas that have not been previously drilled.

### Lewis Gold Project

"The Last Untapped Gold District in the Heart of Elephant Country"

# **Project Highlights**

- Located in the heart of the Battle Mountain Gold Belt, surrounded by numerous world-class gold deposits currently being mined by Nevada Gold Mines.
- Adjoins and is on trend with Nevada Gold Mines' Hilltop gold deposit (reported 2M ounces Au @ 0.875g/t).
- Contains two small historical gold resources that are open in multiple directions.
- Large Nevada King land package hosts significant gold mineralization in historical drill holes and surface samples across a 9 square kilometer area.
- Potential deposit types include Pipeline (22M ounces Au), Marigold (5.3M ounces Au), Fortitude (4M ounces Au), and Hilltop (2M ounces Au).
- Nevada King initiated its maiden drill program at Lewis in October 2021 and drilled a total of 1,150m in 18 RC holes with the primary objectives of (1) substantiating historical drill results within the Celestine O'Neal and Rocky Canyon targets, and (2) testing for lateral extensions of gold mineralization with step-out drilling from historical intervals reported at these targets.
- Seven holes successfully tested the Celestine O'Neal target, confirming historical drill grades and intersect lengths, while at the same time extending mineralization southward. Utilizing a 0.3g/t Au external cutoff grade, highlights include:
  - Angle hole LS21-015 intercepted 83.9 meters averaging 1.04 g/t Au, including two distinct zones of gold mineralization: 15.2 meters of 1.55g/t Au from 33.5 meters to 48.8 meters, and 62.5 meters of 1.02g/t from 54.9 meters to 117.4 meters.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

Vertical hole LS21-008, drilled 240m south of the Celestine O'Neal target area, also cut two separate mineralized zones: 9.1 meters averaging 1.79g/t Au from 76.2 meters to 85.4 meters, and 13.7 meters averaging 2.50g/t Au from 154.0 meters to 167.7 meters. This includes 1.5 meters grading 15.73g/t Au from 163.1 meters to 164.6 meters.

#### **Location and Project History**

Located in Lander County, Nevada about 21 kilometers south of Battle Mountain, the Lewis district adjoins the northwestern end of Barrick Gold Corp's ("Barrick") Hilltop deposit (2 million ounces Au drill indicated) and sits more or less along the trend axis about 20 kilometers SE of Newmont's large Phoenix Au mine (13 million ounces Au) and 26 kilometers NW of Barrick's huge Pipeline Au mine complex (20 million ounces). The property currently encompasses 13,590 acres (5500 hectares) consisting of 595 lode claims and 20 patented mining claims owned by Nevada King, and a core group of 55 lode claims under a lease-option agreement with Tim Percival. The March 2018 Percival Lease also included a large historical database that revealed significant gold mineralization (>0.10 g/t Au) in drill holes and surface/underground samples within the entire Nevada King land package.

Prospecting and limited mining of the high-grade veins exposed in the Lewis mining district began in the late 1870's. The Betty O'Neal mine (part of Nevada King's patented claim holdings) was worked extensively for silver from the 1880's through the 1890's and was mined intermittently until about 1936, with recorded production of about 4.2 M ounces Ag and 20,000 ounces Au (1902-1936). In Whisky Canyon proper, the Celestine O'Neal property was explored and mined intermittently beginning prior to 1900 and continuing to 1923. Production was small but relatively high grade (> 1.0 oz/t Au). Several other small, but high grade, mines of limited production occur in Rocky Canyon, on the intervening hill between Rocky and Whisky Canyons, and along the west side of Lewis Canyon.

Porphyry copper-molybdenum exploration at Lewis during the early-to mid-1970's reportedly encountered low-grade, Cu-Mo porphyry mineralization beneath surface breccia pipe outcrops and within a large magmatic center exposed along the southern margin of the property. Gold exploration within the district started in the late 1970's and is summarized below.

- Noranda Inc. ("Noranda"), 1980-1981 Drilled 6,790' (2,070 meters)
- Amax Inc. ("Amax"), 1986 Drilled 4,880' (1,488 meters)
- Tenneco Minerals Co., 1986 Undisclosed amount of drilling.
- St. George Metals Inc., 1986-1990 Drilled 70,172' (21,394 meters) and delineated an in-house geologic resource (43-101 non-compliant) of 64,000 ounces Au in two areas.
  - The Celestine O'Neal resource reported to contain 800,000 tons @ 0.048 oz/ton.
  - The Rocky Canyon resource reported to contain about 1 million tons grading 0.026 oz/ton.
- Cyprus Amax Minerals, 1992 Drilled 3,770' (1,150 meters)
- Cameco, 1996 Drilled 15,036' (4,584 meters)
- Placer Dome Inc., 2005 Drilled 3,910' (1,192 meters)
- Carlin Gold Corporation, 2007 Drilled 4,000' (1,220 meters)

Examples of historical drill hole intercepts (43-101 non-compliant) reported from the property are listed below. All gold intercepts are within Upper plate lithotypes, and true mineralized thickness is unknown.

- Along the northwestern side of the property, RC-97-11 drilled by Cameco in 1997 cut 13.7 meters grading 3.321g/t at 45.7 meters to 59.4 meters, including 1.52 meters grading 24.15g/t at 53.34 meters to 54.86 meters
- In the southern part of the property, hole RC-3 drilled by Draco Mines Inc. ("Draco") in 1988 cut 9.1 meters grading 2.47g/t at 44.2 meters to 53.3 meters (includes 1.52 meters @ 8.57g/t at 51.82 meters to 53.34 meters), and 10.64 meters @ 1.58g/t at 70.1 meters to 80.77 meters.
- In the eastern part of the property, hole 80-R-10 drilled by Noranda in 1980 hit 41.2 meters grading 1.435g/t at 30.48 meters to 71.63 meters, including 6.1 meters @ 7.938g/t at 33.5 meters to 39.6 meters.
- In the southeastern part of the property, hole STGA-2 drilled by St. George Metals Inc. in 1989 hit a long, low grade 187.4 meters intercept averaging 0.266g/t Au from 16.8 meters to 204.2 meters.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

### **Geologic Description**

The Lewis district encompasses most of the Lewis cauldron complex, which appears to be a very circular, structural collapse feature characterized by older rocks (including Roberts Mtn. Fm.) outside of the cauldron rim and younger rocks in the cauldron's center. Gold mineralization in both the Lewis and Hilltop districts is spatially related to a broad (200 to 500 meters wide), northwest trending sheeted dike and vein zone (Hilltop structure zone). The felsic to intermediate composition dikes are typically strongly altered and surrounded by high-sulfidation type alteration aureoles. Silver veins mined prior to 1942 are hosted within and adjacent to these altered dikes. In contrast, the low-grade gold mineralization present at Hilltop and Lewis is hosted in gently west-dipping breccia zones (thrust or detachment faults) that cut the Valmy quartzite-chert unit. Strongly altered dikes/sills and intrusive breccias occur within the mineralized, low-angle breccia zones within both districts. High-angle faults and quartz veins cutting the low-angle breccia zones tend to host higher Au grades and apparently served as feeder structures for the low-grade, blanket-like mineralization.

The Lewis project is largely underlain by Paleozoic siliciclastic rocks, subordinate carbonate sedimentary rocks, and minor Triassic clastic sedimentary rocks, all of which are considered to be stratigraphically positioned within the Upper plate of the Roberts Mountain Thrust. The location of the Roberts Mountain Thrust at Lewis is currently unknown. This sedimentary section is intruded by abundant felsic igneous rocks (dikes and small masses) and is partially overlain by felsic volcanic rocks. Structurally, the area is very complex and consists of Antler- and Sonomanaged imbricate thrust faults crosscut by several distinct sets of high-angle faults. Hydrothermal alteration features are extensively developed and include silicification, argillic and sericitic clay alteration, quartz veining, extensive introduction of sulfide minerals, and abundant supergene oxidation products of primary sulfide minerals.

Gold mineralization is dominantly structurally controlled and is focused along high- and low-angle fault zones, although favorable host rock composition is also locally important. Two distinct styles of mineralization occur: 1) earlier Ag-base metal rich quartz+calcite+barite+sulfide mineral veins, and 2) a gold-rich (Au>Ag) stage containing abundant arsenic and minor base metal sulfides hosted by quartz- and clay-rich structural zones, veins, stockworks, and disseminations. Arsenic is a close associate of the gold mineralization and concentrations between 300 to1000 ppm are typical. Copper, lead, zinc, bismuth are locally variable and can be highly anomalous.

Gold mineralized zones occur as steeply dipping veins, fault breccia+vein zones, and as low-angle shear-breccia zones developed along thrust fault zones. Most individual structures are relatively narrow (to about 20 feet thick), but subparallel sets of high-angle faults and associated fractures create very wide zones (hundreds of feet) of structurally prepared rocks that host intense alteration and strong gold mineralization. A preliminary study of the Noranda and Draco/Amax drilling information suggests that the best gold-bearing zones in Whisky Canyon occur beneath low-angle, shallowly-dipping (to the southwest) thrust fault zones and associated thick shear zone. These structural zones are up to 200 feet thick and are mineralized over a thickness of 100 feet in some areas. Although these shallowly dipping zones are well mineralized, the primary source of the gold-bearing fluids is believed to be the steeply-dipping fault-breccia zones that localized higher grade veins throughout the zone. Several of these are exposed at the Celestine O'Neal mine and at numerous other locations throughout Whisky Canyon.

The steeply dipping vein and fault breccia mineralization consists of varying mixtures of quartz and calcite gangue containing abundant sulfide minerals; locally, with sulfides minerals more abundant than the gangue. The sulfides include pyrite, arsenopyrite, pyrrhotite, chalcopyrite, sphalerite, and tetrahedrite. Secondary copper minerals occur in oxidized zones with strong jarosite, FeOx concentrations, and some scorodite. Copper concentrations significantly increase in and around Rocky Canyon and are associated with strong thermal metamorphic and metasomatic mineral assemblages, suggesting a spatial association with a buried magmatic center. The silver content of the gold-rich veins is extremely variable and locally veins contain up to several ounces/ton silver. However, the concentrations do not approach the high multiple-tens of ounce/ton silver grades that are typical of the type 1 silver-dominant veins at the Betty O'Neal mine.

Shear zone-type mineralization is generally less distinctive than the steeply dipping vein and fault breccia type mineralization. The altered shear zones contain much more abundant clay alteration mineral assemblages that are intermixed with the silicified portions of the sheared rocks in association with sulfide minerals. Most of the shear

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

zone mineralization is more intensely oxidized relative to the vein mineralization. This style of gold mineralization is a very attractive target for generating a large bulk tonnage resource similar to what has been intersected in some of the thicker mineralized intercepts in the Whisky Canyon drill holes.

### 2021 Maiden Drilling Program

Nevada King commenced a 3,500-meter reverse circulation (RC) drilling program on October 9, 2021 designed to confirm historical mineralization reported in three main target areas: the Celestine O'Neal historical resource zone, the Rocky Canyon historical resource zone, and the Record Target (Figure 21). With a limited number of step-out holes, the Company sought to demonstrate lateral continuity of gold mineralization between the three target areas. Drilling started at the Celestine O'Neal target at a lower elevation and moved upslope (and southward) with subsequent holes. These holes are clustered around several historical RC holes that encountered significant gold mineralization, as follows:

- In 1980 Noranda's vertical hole 80-R10 cut a contiguous 46 meters averaging 1.31 g/t between 30 meter and 76-meter depths, including 6 meters @ 7.94 g/t starting at 33-meter depth.
- The Amax/Draco Mines JV drilled vertical hole RC-10 in 1987, hitting a contiguous 13.7-meter grading 3.45 g/t at 111 meters -125 meters, including 3 meters @ 11.81 g/t.
- St. George Metals encountered 75 meters grading 0.74 g/t between depths of 27 meters 102 meters in angle hole (-61 deg) WC-4RC in 1988.




Figure 21. Location of proposed 2021 RC drill holes (red dots) relative to major exploration targets and existing roads (black dashed and dotted lines). Targets as denoted by the purple hatched target areas are defined by vectors derived from historical drill results together with surface sample results. Historical drill holes shown by black circles.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

In spite of inclement weather starting in November of last year and challenging drilling conditions, the program successfully confirmed historical results in the Celestine O'Neal target with LS21-001, 002, 003, and 015, while step-out hole LS21-008 demonstrated continuity of mineralization southward from the historical Celestine O'Neal resource zone (Figure 22). Table 15 identifies the holes successfully completed, while Table 16 summarizes the gold intercepts. The Company is very encouraged by the long intervals of consistent gold mineralization encountered in the recent drilling that incorporate areas of high-grade gold. This drilling confirms the Company's interpretation based on extensive historical work that the Lewis property encompasses a strong gold mineralizing system. Results of the recent work has refined targets in several priority areas that will be tested in 2022 with an expanded phase of drilling.




Figure 22. Location of 2021 RC drill holes (blue and light blue dots) relative to major exploration targets and existing roads (black dashed and dotted lines). Targets as denoted by the purple hatched areas are defined by vectors derived from historical drill results together with surface sample results. Historical drill holes shown by black circles.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

Table 15. Drill holes completed in 2021 at the Lewis Project.

Hole ID	Hole Type	Azimuth	Dip	Depth (meters)
LS21-001	RC	0	-90	91
LS21-002	RC	0	-90	107
LS21-003	RC	0	-90	113
LS21-005	RC	0	-90	140
LS21-008	RC	0	-90	174
LS21-012	RC	0	-90	52
LS21-015	RC	290	-55	149
LS21-018	RC	307	-58	85

<b>Table 16. 20</b>	21 Nevada Ki	ng RC Drill Re	esults			
Hole	TD (m)	From (m)	To (m)	Length (m)	Avg Au (g/t)	Notes
LS21-001	91.5	36.6	41.2	4.6	0.934	
LS21-002	106.7	9.1	64.0	54.9	1.3	Values up to 4.49 g/t
		89.9	94.5	4.6	0.682	
LS21-003	112.8	32.0	41.2	9.1	1.733	Values up to 3.78 g/t
		85.4	86.9	1.5	1.88	
LS21-004	15.2	Hole did not	penetrate over	burden		
LS21-005	140.2	33.5	41.2	7.6	0.548	
		64.0	71.6	7.6	0.626	
		86.9	109.8	22.9	0.248	
LS21-006	12.2	Hole did not	penetrate over	burden	·	
LS21-007	45.7	Hole did not	penetrate over	burden		
LS21-008	173.8	76.2	85.4	9.1	1.794	Values up to 3.34 g/t
		154.0	167.7	13.7	2.501	Values up to 15.733 g/t
LS21-009	36.6	Hole did not	penetrate over	burden	·	•
LS21-010	29.0	13.7	15.2	1.5	0.618	
LS21-011	12.2	Hole did not	penetrate over	burden		
LS21-012	51.8	6.1	7.6	1.5	0.95	
		10.7	12.2	1.5	0.65	
LS21-013	30.5	9.1	10.7	1.5	0.381	
		24.4	25.9	1.5	0.418	
LS21-014	29.0	15.2	18.3	3.0	1.595	
LS21-015	149.4	33.5	117.4	83.9	1.04	
	includes	33.5	48.8	15.2	1.546	
	*includes	44.2	48.8	4.6	3.37	
	includes	54.9	117.4	62.5	1.021	
	*includes	85.4	94.5	9.1	2.1	
LS21-016	15.2	Hole did not	penetrate over	burden		
LS21-017	18.3		penetrate over			
LS21-018	85.4	29.0	30.5	1.5	0.887	

# **Summary of 2021 Drilling**

The 2021 drilling at the Celestine O'Neal target reveals the presence of a strong epithermal gold system, as evidenced by Nevada King's drill results and historical drill records together with the observed strong micro-veining and well-banded quartz-carbonate-sulfide veins. The geochemistry and style of sulfide mineralization looks similar to the gold

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

mineralization reported at Nevada Gold Mines' Robertson deposit (1-2 million oz Au), which is currently in the exploration stage about 7km north of their large Pipeline mine and 22 kilometers southeast of the Lewis Project.

The fact that this mineralization is buried beneath a geochemically "dead" limestone unit changes the game at Lewis. Historical drilling generally concentrated on areas with strong, surficial rock and soil anomalies, while areas lacking gold anomalies were avoided. This blanket of landslide or detachment debris effectively hides the underlying gold mineralization and opens up a large area for Nevada King to explore that was ignored by previous operators. This structural juxtaposition is illustrated in Figure 23.

Based on the drilling at Celestine O'Neal, the geology as seen in outcrop and RC cuttings is summarized below, starting with the youngest rocks.

- Unaltered Tertiary-age andesite flows and felsic welded tuff represent the youngest unit at Lewis. These
  rocks cover the ridge tops south and east of the Record Target area and form a relatively flat plateau that
  extends several kilometers southward to Lewis Peak. Normal faulting dropped wedges of welded tuff down
  into the Paleozoic section at the head of Rocky Canyon.
- A non-mineralized, greenish-brown limestone mapped in the area as Triassic age appears to have been emplaced above the underlying mineralized limestone unit along a detachment or landslide surface striking N-S and dipping 16° west. This unit largely obscurs the mineralization at Celestine O'Neal and forms the high ridge south and west of the target area. The rock is covered by Tertiary volcanics immediately south of the Record Target. The basal contact is marked by a very broken rubble zone and brown to black clayey horizon resembling a paleo-soil or possibly a fault gouge. The unit lacks a gold and tracer element signature and is geochemically distinctly different from the underlying, mineralized limestone, which suggests post-mineral emplacement via a fault or gravity slide mechanism. The absence of a geochemical signature within this unit may well have discouraged historical exploration in the large area south and southwest of Celestine O'Neal and Record.
- A greenish-brown limestone looking much like the non-mineralized unit described above occurs beneath the dark clayey contact zone, but an abrupt increase in arsenic from tens of ppm to well over 1000ppm occurs at the contact and continues downward into the underlying, more strongly mineralized siltstone-sandstone unit. In addition to the strong increase in arsenic, a similar abrupt jump in Au-Ag-Bi occurs. Weak silicification and sparse quartz veinlets are noted in the limestone, but alteration is very subtle. The basal contact is marked by what looks like a shear or possibly a strongly altered karst zone.
- Strongly silicified fine-grained calcareous siltstone, fine-grained sandstone, and arkosic sandstone hosting banded quartz-carbonate-sulfide veinlets occur directly beneath the weakly altered limestone. Both sheeted and stockwork micro-veining are noted, with at least two generations of quartz veining. Fine to medium-grained arsenopyrite, stibnite, galena and sphalerite are present within larger quartz-pyrite veins. The unit is at least 200m thick and is either part of the Ordovician-age Valmy Formation or could be the Silurian-age Elder Sandstone Formation, which is one of the gold hosts at the nearby Marigold Mine. Sulfide content ranges from less than 1% to 10% and gold tends to vary directly with the sulfide percentage. The mineralization is characterized by a strong Au-Ag-As-Bi-Te-Sb-Pb-Zn assemblage, with arsenic values typically in the 1000-3000ppm range. The unit is in fault contact with the underlying Valmy Formation carbonaceous phylliltic shale and quartzite, and as the shear contact is approached carbon micro-veining in the silicified sandstone increases rapidly. Gold values fall off rapidly at this lower contact.
- Carbonaceous phyllite, argillite, and quartzite most likely belonging to the Valmy Formation underlie the
  gold zone at Celestine O'Neal. The sheared contact is marked by carbonaceous gouge, silicified breccia, and
  quartz veining. This altered contact zone is at least 10m thick and strikes NNW (16° Az), dipping 33° west.
  Gold values decrease rapidly at the contact, and the carbonaceous phyllite is only weakly anomalous.




Figure 23. Drill section A-A' looking east at the Celestine O'Neal target area at the shallow dipping mineralized zone obscured by non-mineralized limestone emplaced along a landslide plane or detachment fault. LS21-008 hit 1.5 meters grading 15.73 g/t Au at 163-meter (535') depth.

#### 2022 Drilling

The Company initiated its 2022 Lewis drilling program on August 30 and concluded the program on November 11, 2022. Eighteen RC holes totaling 3,229m were drilled utilizing a track-mounted drill operated by Envirotech Drilling LLC of Winnemucca, NV. Holes ranged in depth from 94.5 meters to 240.8 meters, averaging 179 meters. The majority of holes were vertical. Samples were sent to ALS-Chemex in Reno, NV.

As shown in Figure 24, the 2022 drilling concentrated on the Celestine O'Neal, Record, and Upper Rocky Canyon target areas in order to: (1) confirm historical drill results, and (2) test for contiguity of Au mineralization between the three target areas. Assay results from the 2022 program are still pending.




Figure 24. Location of 2022 RC holes drilled at Lewis in relation to the 2021 drilling and historical holes.

# Horse Mountain-Mill Creek Gold Project

### **Project Highlights**

- Project area surrounds Nevada Gold Mine's gold resource target at Horse Mountain and bounds the southern side of the Gold Acres deposit (1M ounces Au) and eastern side of Premier Mines Cove deposit (4M ounces Au).
- Focus of substantial drilling by major and junior explorers since the 1980's.
- Hosts historical drill holes that penetrated the Roberts Mountain Thrust and hit significant gold mineralization in Lower plate carbonates identified by Barrick as Roberts Mtn. Formation.
- Large land package that cuts a wide swath across the Battle Mountain Trend.

# **Project Description**

The Horse Mountain-Mill Creek project is located in Lander County, Nevada 35 kilometers south of Battle Mountain, Nevada and 13 kilometers west of Nevada Gold Mines' Pipeline Mine (22M ounces Au). The project consists of the HM Claim block, the GA Claim block, and the MC Claim block, totaling 924 unpatented lode mining claims, all located on BLM ground and owned 100% by Nevada King.

Surface geology within Horse Mountain-Mill Creek project area is dominated by the Upper plate Valmy Formation, consisting of quartzite, chert, sandstone to siltstone, silicious shale, and minor intercalated mafic volcanic flows. Two

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

small windows eroded through the Roberts Mountain Thrust expose Lower plate Roberts Mountain Formation carbonates north of Mill Creek (off of Nevada King's claim block) and at Barrick's HM Project at Horse Mountain. Both Lower Paleozoic assemblages are overlain by post-mineral Tertiary volcanics and Quaternary alluvium. Gold mineralization found to date within the project area is primarily Carlin-type in Lower plate rocks, and Marigold-type in Upper plate lithotypes. The alteration suite and geochemical signature are typical of Carlin-type gold deposits within the Carlin and Battle Mountain Trends, where the gold is most commonly microscopic and is in close association with anomalous amounts of As, Hg, Sb, and Th as well as anomalously low abundance of common base metals such as copper, lead, and zinc.

### **Historical Exploration**

Barite mining began in the 1930's near the project area and continued into the early 1980's. Aside from the barite exploration, there is little evidence of early prospecting for gold. Documented gold exploration activities within the property and immediate locale demonstrate the area have been subject to numerous exploration plays by numerous companies dating back to 1973. Two prominent exploration targets occur within the project area, both of which have been the focus of extensive and continual historical drilling by a number of major and junior explorers since the 1980's, as illustrated below.

- Mill Creek Historical Explorers
  - o X-Cal Resources Ltd., 2006 Drilling
  - o Barrick, 2005 Drilling
  - o Newcrest Resources, Inc., 2003 Drilling
  - o Phelps Dodge Corporation, 1999 Drilling
  - o Kennecott Utah Copper LLC, 1999 Drilling
  - o Barrick, 1998 Drilling
  - o Santa Fe Gold Corporation, 1991 Drilling
  - o Saga Exploration Co., 1989 Drilling
- Horse Mountain Historical Explorers
  - o Newcrest Resources, Inc., 2008 Drilling
  - o Barrick, 2005 Drilling
  - High Desert Mineral Resources Inc., 1995 Drilling
  - o Golden Independence Mining Corp., 1993 Drilling
  - o Euro-Nevada Mining Corporation, 1992 Drilling
  - Gexa Gold Co., 1987 Drilling
  - o Phelps Dodge Corporation, 1987 Drilling
  - o Nerco Exploration Co., 1985 Drilling

Historical drilling within the Mill Creek target tested gravity anomalies that are largely obscured by shallow alluvium and post-mineral volcanics. These exploratory efforts presumably chased a variety of potential deposits, ranging from the Upper plate-hosted Marigold and Lone Tree mines to intrusive-dominated deposits like Phoenix and McCoy-Cove, to Lower plate sediment-hosted targets such as Pipeline. In contrast, the target at Horse Mountain is better exposed and drill-defined, so Nevada King already knows its exploration will focus on expanding the Upper and Lower plate mineralization identified by the historical drilling. Therefore, the Company's exploration program almost exclusively addresses the Horse Mountain target. The Mill Creek target requires additional geophysical definition and acquisition of historical data before any progress can be achieved.

The Horse Mountain target adjoins Nevada Gold Mines' active HM project on its south side, and widespread historical drilling shows gold mineralization trends southward from Nevada Gold Mines' claims onto Nevada King's ground, where deeper holes penetrated the Roberts Mountain Thrust and encountered significant gold and tracer element concentrations in lower plate carbonates.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

Core hole BHM-001 drilled by Barrick in 2005 hit 30 meters grading 0.772g/t at 282 meters to 312 meters in rock identified by Barrick as Roberts Mountain Formation, including 2.29 meters @ 3.17g/t at 297.8 meters to 300.2 meters. Arsenic averaged 1,140ppm while mercury averaged 4.40ppm. Other Lower plate hits include BHM-003 (18.3 meters averaging 0.364g/t at 336.9 meters to 355.2 meters) and BHM-005 (29 meters grading 0.238g/t at 623.4 meters to 652.4 meters).

# **Buffalo Valley Gold Project**

### **Project Highlights**

- Proximal to the large Phoenix gold mine (Nevada Gold Mines) and Premier Gold Mines Limited's ("Premier") Cove gold mine. Adjacent to and on trend with the smaller Buffalo Valley gold deposits (500,000 ounces Au).
- Effectively cuts-off Nevada Gold Mines' land position south of Phoenix together with the northern and eastern boundaries of Premier's Cove land position.
- Covers a large swath of alluvial cover separating the Phoenix and Cove mine areas that gravity data suggests is shallow, and therefore prospective for similar type deposits.

### **Project Description**

The Buffalo Valley gold project is located in Lander County, Nevada 7 kilometers west of Nevada Gold Mines' Phoenix Mine (10M ounces Au) and 10 kilometers north of Premier's Cove/McCoy Mine (4M ounces Au). The project consists of the BV and AP Claim blocks, totaling 620 unpatented lode mining claims located on BLM ground. Widespread historical drilling in Upper plate rocks was performed by major and junior explorers during the period from 1985 to 2007. This large claim block covers gravity anomalies between the Phoenix and Cove/McCoy Mines and the Mill Creek project area. The region is largely covered by alluvium. Potential deposit types at Buffalo Valley include Marigold (5.3M ounces Au) and Cove/McCoy (4M ounces Au).

### Hilltop South Gold Project

### **Project Highlights**

- The project is on trend with and bounds the southern and eastern margins of Nevada Gold's Hilltop deposit (reported 2M ounces Au @ 0.875g/t).
- The project is surrounded by Nevada Gold Mines' deposits, which include current exploration programs extending northward from the Pipeline Mine up to the SE corner of Nevada King's claim block.
- Widespread gold and tracer element anomalies indicate potential at depth.

#### **Project Description**

The Hilltop South project is located in Lander County, Nevada, 17 kilometers northwest of the Pipeline Mine (22M ounces Au). The project consists of the NSR Claim block containing 343 unpatented lode mining claims located on BLM land. The project is on trend with and bounds southern and eastern margins of Nevada Gold Mines' Hilltop deposit (reported 2M ounces Au @ 0.875g/t). Widespread historical drilling in Upper plate lithotypes by major and junior explorers occurred during the period from 1986 to 2011. Rock samples collected by the Company in altered Upper plate rocks across a 6 square kilometer area range in gold values from <0.005 to 0.295ppm and are accompanied by anomalous As-Hg-Sb. Potential deposit types at Hilltop South include Pipeline (22M ounces Au), Marigold (5.3M ounces Au), and Hilltop (2M ounces Au).

### **Recent Work Conducted by Nevada King**

The Company is currently engaged in a soil sampling program across the entire property.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

# Carico Lake-Cedars Gold Project

#### **Project Highlights**

- Completely surrounds a small gold resource at the Cedars project that is being touted by current owners as
  hosting 600,000 ounces Au. The Cedars area has been the focus of intensive historical drilling by major
  explorers.
- Widespread gold and tracer element anomalies at the surface.
- Anomalous gold hit in the Valmy Formation at Carico Lake in historical drill holes, and strong surface As-Hg anomalies over a very large area, both in the Valmy and also in overlying, altered Tertiary volcanics.
- Potential for several different types of gold deposits in Upper and Lower plates of Roberts Mountain Thrust as well as along contacts between Paleozoic section and Tertiary volcanics.

### **Project Description**

The Carico Lake—Cedars Gold project is located in Lander County, Nevada 25 kilometers west of Nevada Gold Mines' Cortez Mine (17M ounces Au). The project consists of the CDR and CL Claim blocks, totaling 909 unpatented lode mining claims located on BLM ground. The project completely surrounds a small historical gold resource drilled by Chevron Resources Ltd. in the early 1980's. Widespread historical drilling by numerous major and junior explorers occurred during the period from 1981 to 2002 and tested siliclastic and carbonate lithotypes in Upper plate Roberts Mountain and Upper plate Golconda assemblages. Nevada King reconnaissance rock sampling returned widespread gold and tracer element anomalies over a large area, ranging in gold values from <0.005 to 2.89ppm. Potential deposit types at Carico Lake—Cedars include Cortez (17M ounces Au), Marigold (5.3M ounces Au), and Lone Tree (4M ounces Au).

On August 3, 2021, Nevada King concluded an 8-year lease-option agreement with Timothy and Ann Percival and Darryl Killian (the "Optionors") for 61 unpatented lode claims located within the Company's Carico Lake claim block. The Optionors shall receive annual payments starting at US\$20,000 and escalating to US\$40,000 in the seventh year. An option payment of US\$425,000 is due in the eighth year and, upon exercise of the option, the Optionors will retain a 2% NSR royalty on the property on which Nevada King will have the right to buy back one-half (1%) of the royalty for US\$500,000. The property was historically drilled by Cameco, with several shallow holes hitting strongly anomalous gold mineralization.

### Kobeh Valley Gold Project

### **Project Highlights**

- Project area is sandwiched in between McEwen Mining Inc.'s ("McEwen") Gold Bar mining complex and Ruby Hill Mining Company, LLC's ("Ruby Hill") Ruby Hill Mine. Bounds southern margin of McEwen's land, and western margin of Ruby Hill's land.
- Covers a large E-W swath of ground along the axis of the Battle Mountain Gold Belt.
- Focus of much historical drill exploration by major and junior explorers trying to hit southern extensions of gold mineralization from the Gold Bar to the Gold Pick mine zones underneath the alluvial blanket of Kobeh Valley.

### **Project Description**

The Kobeh Valley gold project is located in Eureka County, Nevada and is situated 58 kilometers southeast of Nevada Gold Mine's Cortez Mine (17M ounces Au) and 10 kilometers northwest of the Ruby Hill Mine (2.3M ounces Au). The project consists of the KVC, KVE, KVW and WE Claim blocks: 1363 total unpatented lode mining claims on BLM land, staked by the Company from January 2020 through June 2020. This extensive series of claim blocks covers a significant E-W swath of ground along the axis of the Battle Mountain Gold Belt.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

The Kobeh Valley claims bound the southern margin of McEwen's Gold Bar mining complex, with reported measured plus indicated gold resource of 30M tons grading 0.92/t for 819,000 ounces (2019 estimate). Mineralization trends onto Nevada King's large claim block. Potential deposit types within the Kobeh Valley claim blocks include Lower plate replacement deposits (aka Carlin type) as seen within the Gold Bar area (1+M ounces Au) and at Archimedes/Ruby Hill (2.3M ounces Au).

# Evana Gold Project

### **Project Highlights**

The Evana project was explored previously for gold and is relatively close to the Archimedes mine.

### **Project Description**

The Evana project is located in Eureka County, Nevada and is 18 kilometers northwest of the Archimedes/Ruby Hill Mine (2.3M ounces Au). The project consists of 119 unpatented lode mining claims on BLM ground that were purchased by Brownstone from Nevada Alaska Mining Company in 2020. The geological setting is very similar to Nevada King's Iron Point Project: gold targets are in the Lower plate carbonate rocks below the Roberts Mountain Thrust adjacent to a Tertiary-age granitic stock. Major explorers drilled for gold at Evana during the period from 1986 to 1994. Potential deposit types at Evana include Archimedes (Au) and Gold Bar.

# Crescent Valley Gold Project

### **Project Highlights**

- The small 14-claim block at Crescent Valley was established to cover a short segment of chalcedony-opal veining along which surface samples returned strong gold anomalies. The en echelon vein zone is 10 meters to 20 meters wide.
- Multiple vein stages with local fine grained sulfide mineralization argue for long-lived and possibly strong hydrothermal activity.
- Proximity to Nevada Gold Mines' Buckhorn and Cortez mines.
- Potential at depth for a high-grade vein system along the lines of Fire Creek Mine (Klondex Mines Ltd.).

### **Project Description**

The Crescent Valley gold project is located in Eureka County, Nevada 22 kilometers northeast of the Cortez Mine (17M ounces Au). The project consists of the HMD Claim block, totaling 14 unpatented lode mining claims on BLM ground. Historical drilling for gold by major explorers occurred during the period from 1987 to 1994. A chalcedony and opaline sheeted vein zone is exposed for 1.5 kilometers along a NE trending range-front fault. Nevada King collected rock samples along the vein zone that ranged from 0.014 to 0.225ppm Au. The potential deposit type at Crescent Valley is a quartz vein system at depth, possibly similar to the Fire Creek Mine (approx. 500,000 ounces Au) located 25 kilometers to the northwest.

# Nevada Fluorspar Project

# **Project Highlights**

- Project hosts the MB fluorspar deposit with a JORC Code (2012)-compliant CaF<sub>2</sub> resource.
- The fluorspar deposit is a large fluorine-rich skarn hosted by Ordovician age carbonate sedimentary rocks. The mineralized zone extends for more than a kilometer from the postulated position of a buried Cretaceous age granite.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

 Potential exists for a large sediment-hosted gold system similar to McEwen's Gold Bar mining complex, with reported measured and indicated gold resource of 30M tons grading 0.92/t for 819,000 ounces (2019 estimate).

#### **Project Description**

The Nevada Fluorspar project is located in Eureka County, Nevada approximately 19 kilometers southwest of the town of Eureka and 4 kilometers west of Timberline Resources' Lookout Mountain gold deposit. The project consists of: (a) a core group of sixty MB and MBT claims that were purchased by the Company in late 2020 from Nevada Fluorspar, LLC; and (b) 546 additional lode mining claims (the NF Claims) staked by the Company in late 2020. Between the core group and the additionally staked claims, there are 606 unpatented lode mining claims all located on BLM ground. A series of drilling operations between the 1960's and the 1980's were completed by various explorers that outlined the potential of the CaF<sub>2</sub> deposit. In 2013, Tertiary Minerals (US) Inc. completed a two-phase drilling program comprising approximately 5700 meters (35 holes).

# Golconda Summit Project

### **Project Highlights**

- Project covers the western flank of the Edna Mountains immediately west of the Iron Point Project within an area historically explored for gold and copper in the 1950s through 1980s.
- Historical surface rock sample anomalies have been substantiated by Nevada King's own sampling program, and two separate prospective target areas are slated to be tested later in 2022 with an RC scout drilling program. The drilling has been permitted by the BLM and bonding is currently in place.
- Potential gold targets include Twin Creeks and Turquoise Ridge with a combined gold endowment of 52 Moz Au (NBMG Nevada Mineral Explorer Website, Jan. 2022), and Marigold and Lone Tree with a reported gold endowment of 12 Moz (NBMG Nevada Mineral Explorer Website, Jan. 2022).

### **Project Description**

The Golconda Summit project is located in Humboldt County, Nevada approximately 30 kilometers east of Winnemucca and 19 kilometers northwest of the Lone Tree gold mine within the intersection of the Battle Mountain and Getchell gold belts. The project consists of 800 lode claims covering about 17,000 acres (6,880 hectares) of BLM land. The claims are 100% owned by Nevada King with no royalties or payments to third parties. Historical rock sampling and drilling hit anomalous gold mineralization in upper plate rocks belonging to the Golconda allochthon sequence and in Cambrian-age Prebble Fm. limy siltstone. The project area was previously drill-tested by Newmont Mining, Freeport Gold, Teck Resources, and Cordex Syndicate and the 1980s and 1990s. However, lacking the historical data, Nevada King's 2022 scout drilling program is designed to test Nevada King's surface anomalies and determine the stratigraphic and structural setting across the western flank of the Edna Mountains.

# Pancake Range Project

### **Project Highlights**

- Grass-roots project covers gold anomalies picked up in Nevada King's regional surface sampling program along the western flank of the Pancake Range.
- Gold target is Carlin-type replacement deposit hosted within and/or below the Chainman Shale, as at the Alligator Ridge and Pan deposits.

### **Project Description**

The Pancake Range project is located in White Pine County, Nevada approximately 50 kilometers southeast of Eureka within the Battle Mountain Trend. The project consists of 1296 lode claims covering about 16,000 acres (6,475

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

hectares) of BLM land. The claims are 100% owned by Nevada King with no royalties or payments to third parties. Early-stage sampling to better define gold anomalies is currently on-going.

# **Overall Performance and Results of Operations**

Total assets increased to \$89,682,205 at September 30, 2022, from \$74,747,489 at March 31, 2022, primarily as a result of an increase in cash of \$3,950,105 related to the two private placement financings completed in the current period as well as an increase in exploration and evaluation assets of \$10,811,717.

### Three months ended September 30, 2022 and 2021

During the three months ended September 30, 2022, the loss from operating activities decreased by \$27,837 to \$772,255 compared to \$800,092 for the three months ended September 30, 2021. Major variances are as follows:

- A decrease in consulting fees of \$223,422. Consulting fees were \$32,350 for the quarter ended September 30, 2022, compared to \$255,772 for the quarter ended September 30, 2021. The decrease is related to transition services and termination costs for Nevada King Mining incurred in the prior year quarter.
- An increase of \$56,475 in management and director fees. Management and director fees were \$294,514 for the three months ended September 30, 2022, compared to \$238,039 incurred during the three months ended September 30, 2021. The increase is related to an increase in monthly compensation paid to senior management.
- An increase in marketing of \$34,385. Marketing was \$160,198 for the three months ended September 30, 2022, compared to \$125,813 for the same period in the prior year. Marketing activities in the current quarter are related to the production of videos on the Company's projects.
- An increase of \$68,615 in office and sundry. Office and sundry were \$122,358 for the three months ended September 30, 2022, compared to \$53,743 for the quarter ended September 30, 2021. The increase is related additional software costs of \$30,000 incurred in the current quarter as well as a general increase in activity.

The Company recorded a loss and comprehensive loss of \$670,657 or \$0.00 basic and diluted loss per share for the three months ended September 30, 2022 (September 30, 2021: \$739,626 or \$0.00 basic and diluted loss per share).

### **Summary of Quarterly Results**

	Net and	
Period	<b>Comprehensive Loss</b>	Loss per Share
	\$	\$
30-Sep-22	(670,657)	(0.00)
30-Jun-22	(5,229,391)	(0.02)
31-Mar-22	(7,737,779)	(0.03)
31-Dec-21	(827,642)	(0.00)
30-Sep-21	(739,627)	(0.00)
30-Jun-21	(510,060)	(0.00)
31-Mar-21	(499,521)	(0.01)
31-Dec-20	(775,161)	(0.01)

### Six months ended September 30, 2022 and 2021

During the six months ended September 30, 2022, the loss from operating activities increased by \$4,718,731 to \$6,098,981 compared to \$1,380,250 for the six months ended September 30, 2021. Major variances are as follows:

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

- Stock based compensation of \$3,798,266 incurred in the current period compared to \$Nil for the six months ended September 30, 2021. The expense is related to 16,250,000 stock options granted in the current period, the majority of which vested immediately.
- An increase of \$856,305 in management and director fees. Management and director fees were \$1,335,038 for the six months ended September 30, 2022, compared to \$478,733 incurred during the six months ended September 30, 2021. The increase is largely related to a bonus of \$754,358 paid to the CEO in the current period for his role in the current period's financings as well as an increase in monthly compensation paid to senior management.
- An increase in marketing of \$87,196. Marketing was \$328,110 for the six months ended September 30, 2022, compared to \$240,914 for the same period in the prior year. Marketing activities in the current period are related to the production of videos on the Company's projects and the costs of the AGM.
- An increase of \$71,718 in professional fees. Professional fees were \$204,732 for the six months ended September 30, 2022, compared to \$133,014 for the period ended September 30, 2021. The increase is related to costs incurred in the Company's efforts to list its shares on a US exchange.

The Company recorded a loss and comprehensive loss of \$5,900,048 or \$0.02 basic and diluted loss per share for the six months ended September 30, 2022 (September 30, 2021: \$1,249,687 or \$0.01 basic and diluted loss per share).

# **Liquidity and Capital Resources**

The Company does not currently have a recurring source of revenue and has historically incurred negative cash flows from operating activities.

At September 30, 2022, the Company had cash of \$17,103,201 and current liabilities of \$1,617,406.

The Company believes that it has adequate cashflow to meet obligations and carry out planned activities for the next twelve months.

June 2022 Financing – Net Proceeds of \$4,475,800

On June 10, 2022, the Company completed a private placement financing, issuing 10,000,000 common shares at \$0.45 per share for gross proceeds of \$4,500,000. Share issuance costs of \$24,200 were incurred in connection with the private placement financing. The Company intends to use these proceeds to advance the Company's exploration and evaluation assets and to fund ongoing operations.

Uses of Funds:	Intended Use of Proceeds (Estimated) \$	Actual Use of	1
Working capital to fund ongoing operations	2,237,900	-	(2,237,900)
Acquisition, exploration and evaluation	2,237,900	-	(2,237,900)
Total Uses	4,475,800	-	(4,475,800)

April 22, 2022 Financing – Net Proceeds of \$11,198,859

On April 22, 2022, the Company completed a private placement financing, issuing 25,000,000 common shares at \$0.45 per share for gross proceeds of \$11,250,000. Share issuance costs of \$47,798 were incurred in connection with the private placement financing. The Company intends to use these proceeds to advance the Company's exploration and evaluation assets and to fund ongoing operations.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

Uses of Funds:	Intended Use of Proceeds (Estimated) \$	Actual Use of	<u> </u>
Working capital to fund ongoing operations	2,798,859	-	(2,798,859)
Acquisition, exploration and evaluation	8,400,000	-	(8,400,000)
Total Uses	11,198,859	-	(11,198,859)

June 2021 Financing – Net Proceeds of \$3,577,436

In June 2021, the Company completed a non-brokered private placement of 6,000,000 common shares at a price of \$0.60 per common share for total proceeds of \$3,600,000. The Company incurred share issuance costs of \$22,564 in connection with the private placement financing. The Company intends to use these proceeds to advance the Company's exploration and evaluation assets and to fund ongoing operations.

Uses of Funds:	Intended Use of Proceeds (Estimated) \$	Actual Use of	1
Working capital to fund ongoing operations	1,788,718	1,571,076	(217,642)
Acquisition, exploration and evaluation	1,788,718	577,818	(1,210,900)
Total Uses	3,577,436	2,148,894	(1,428,542)

December 2020 and January 2021 Financings - Net Proceeds of \$17,341,054

In December 2020, the Company completed the first tranche of a non-brokered private placement of 27,569,702 subscription receipts at a price of \$0.55 per subscription receipt for gross proceeds of \$15,163,336. In January 2021, the Company completed the second and final tranche of a non-brokered private placement of 5,237,200 subscription receipts at a price of \$0.55 per subscription receipt for gross proceeds of \$2,880,460. The Company incurred finders' fees of \$662,487 and other share issuance costs of \$40,255 in connection with the private placement.

Uses of Funds:	Intended Use of Proceeds (Estimated) \$	Actual Use of	1
Working capital to fund ongoing operations	2.895,705	2,895,705	-
Acquisition, exploration and evaluation	14,445,349	14,445,349	-
Total Uses	17,341,054	17,341,054	-

### **Outstanding Share Data**

As at September 30, 2022, and the date of this report, there were 278,574,976 common shares issued and outstanding.

On April 22, 2022, the Company completed a private placement financing, issuing 25,000,000 common shares at \$0.45 per share for gross proceeds of \$11,250,000. Share issuance costs of \$51,141 were incurred in connection with the private placement financing.

On June 10, 2022, the Company completed a private placement financing, issuing 10,000,000 common shares at \$0.45 per share for gross proceeds of \$4,500,000. Share issuance costs of \$24,200 were incurred in connection with the private placement financing.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

As at September 30, 2022 and the date of this report there were 22,710,000 stock options and no warrants outstanding.

### **Related Party Balances and Transactions**

Key Management Personnel Compensation

	September 30,	September 30,
Period ended	2021	2020
	\$	\$
Management fees paid to a company controlled by the Executive Chairman	148,582	165,844
Management fees paid to a company controlled by the Chief Executive Officer	133,727	147,697
Management fees paid to the Chief Financial Officer	111,423	123,192
Director fees	85,000	51,500
	478,732	488,233

Under the terms of their management agreements, certain officers of the Company are entitled to 18 months of base pay in the event of their agreements being terminated without cause.

Included in accounts payable and accrued liabilities at September 30, 2022 are payables of \$11,456 related to expense reimbursement (March 31, 2022 - \$5,809) for officers and directors of the Company. Related party payables are unsecured, non-interest bearing and have no specified terms of repayment.

#### **Risks and Uncertainties**

The risks and uncertainties described in this section are considered by management to be the most important in the context of the Company's business. The risks and uncertainties below are not inclusive of all the risks and uncertainties the Company may be subject to and other risks may exist. The Company is in the business of acquiring, exploring and evaluating mineral properties. It is exposed to a number of risks and uncertainties that are common to other mining companies. The industry is capital intensive at all stages and is subject to variations in commodity prices, market sentiment, inflation and other risks.

### Mining Exploration and Development

Exploration for minerals is highly speculative in nature, involves many risks and frequently is unsuccessful. There is no assurance that any exploration activities of the Company will result in the development of an economically viable mine project. The economics of developing mineral properties are affected by many factors including the cost of operations, variations in the grade of ore mined, fluctuations in metal markets, costs of mining and processing equipment, government regulations, location of the orebody and its proximity to infrastructure such as roads and power, required metallurgical processes, regulatory permit requirements, prevailing metal prices, economic and financing conditions at the relevant time.

Substantial expenditures are required to establish mineral resources and mineral reserves through drilling, to develop metallurgical processes to extract the metal from mineral resources, and in the case of new properties, to develop the mining and processing facilities and infrastructure at any site chosen for mining. Assuming discovery of an economic ore body, depending on the type of mining operation involved, several years may elapse from the initial phases of drilling until commercial operations are commenced and during such time the economic feasibility of production may change.

The Company has never completed a mining development project and does not generate any revenues from production. The future development of properties found to be economically feasible will require the construction and operation of mines, processing plants and related infrastructure and the Company does not have any experience in taking a mining project to production. As a result of these factors, it is difficult to evaluate the Company's prospects, and the Company's future success is more uncertain than if it had a more proven history.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

The development of the Company's projects will include the construction and operation of mines, processing plants and related infrastructure. As a result, the Company is and will continue to be subject to all of the risks associated with establishing new mining operations, including risks relating to the availability and cost of skilled labour, mining equipment, fuel, power, materials and other supplies; the ability to obtain all necessary governmental approvals and permits; potential opposition from non-governmental organizations, environmental groups or local residents; and the availability of funds to finance construction and development activities.

Cost estimates may increase as more detailed engineering work is completed on a project. It is common for new mining operations to experience unexpected costs, problems and delays during construction, development, and mine start-up. In addition, delays in the early stages of mineral production often occur. Accordingly, the Company cannot provide assurance that its activities will result in profitable mining operations at its mineral properties.

#### Infrastructure

Mining, processing, development and exploration activities depend, to one degree or another, on adequate infrastructure. Reliable roads, bridges, power sources and water supply are important determinants, which effect capital and operating costs. Unusual or infrequent weather phenomena, terrorism, sabotage, community, government or other interference in the maintenance or provision of such infrastructure could adversely affect the Company's operations, financial condition and results of operations.

#### Risks Associated with the Gold Market

The profitability of the Company's operations will be dependent upon the market price of gold. The gold price fluctuates widely and is affected by numerous factors beyond the control of the Company. The level of interest rates, the rate of inflation, the world supply of mineral commodities and the stability of exchange rates can all cause significant fluctuations in price.

Such external economic factors are in turn influenced by changes in international investment patterns, monetary systems and political developments. The price of gold has fluctuated widely in recent years, and future price declines could cause commercial production to be impracticable, thereby having a material adverse effect on the Company's business, financial condition and result of operations.

Depending on the market price of gold, the Company may determine that it is not economically feasible to continue some or all of its operations or the development of some or all of its projects, as applicable, which could have an adverse impact on the Company's financial performance and results of operations. In such a circumstance, the Company may also curtail or suspend some or all of its exploration activities.

# Public Health Crises such as the COVID-19 Pandemic

On March 11, 2020, the World Health Organization declared the global outbreak of a novel coronavirus identified as "COVID-19" a global pandemic. In order to combat the spread of COVID-19, governments worldwide have enacted emergency measures including travel bans, legally enforced or self-imposed quarantine periods, social distancing and business and organization closures. These measures have caused material disruptions to businesses, governments and other organizations resulting in an economic slowdown and increased volatility in national and global equity and commodity markets. Central banks and governments, including Canadian federal and provincial governments, have reacted with significant monetary and fiscal interventions designed to stabilize economic conditions. The duration and impact of the COVID-19 outbreak is unknown at this time, as is the efficacy of any interventions.

Significant economic and social impacts have limited the Company's ability to continue its exploration and evaluation activities as intended. It is not possible to reliably estimate the length and severity of these developments and the impact on the financial results and condition of the Company and its operations in future periods.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

Russia's Military Action against Ukraine

The Company's business financial condition and results of operations may be further negatively affected by economic and other consequences from Russia's military action against Ukraine and the sanctions imposed in response to that action in late February 2022. While the Company expects any direct impacts of the pandemic and the war in the Ukraine to the business to be limited, the indirect impacts on the economy and on the mining industry and other industries in general could negatively affect the business and may make it more difficult for it to raise equity or debt financing. There can be no assurance that the Company will not be impacted by adverse consequences that may be brought about on its business, results of operations, financial position and cash flows in the future.

### Regulatory Risks

Mining activities are subject to extensive laws and regulations governing prospecting, development, production, exports, taxes, labor standards, occupational health and safety, water disposal, toxic substances, explosives, management of natural resources, environmental management and protection, mine safety, dealings with Aboriginal groups, historic and cultural preservation and other matters. Compliance with such laws and regulations increases the costs of planning, designing, drilling, developing, construction, operating and closing mines and other facilities.

Failure to comply with applicable laws and regulations may result in civil or criminal fines or penalties or enforcement actions, including orders issued by regulatory or judicial authorities enjoining or curtailing operations, requiring corrective measures or other remedial actions, any of which could result in the Company incurring significant expenditures. Changes to current laws, regulations and permits governing operations and activities of mining companies, including environmental laws and regulations or more stringent enforcement thereof, could have a material adverse impact on the Company and increase costs, affect the Company's ability to expand or transfer existing operations or require the Company to abandon or delay the development of new properties.

The Company may be subject to potential legal claims based on an infringement of applicable laws or regulations which, if determined adversely to the Company, could have a material effect on the Company or its financial condition or require the Company to compensate persons suffering loss or damage as a result of any such infringement.

### Permitting Risks

There can be no assurance that all licenses, permits or property rights which the Company may require for any exploration or development of mining operations will be obtainable on reasonable terms or in a timely manner, or at all, that such terms will not be adversely changed, that required extensions will be granted, or that the issuance of such licenses, permits or property rights will not be challenged by third parties. Delays in obtaining or a failure to obtain such licenses, permits or property rights or extension thereto, challenges to the issuance of such licenses, permits or property rights, whether successful or unsuccessful, changes to the terms of such licenses, permits or property rights, or a failure to comply with the terms of any such licenses, permits or property rights that the Company has obtained, could have a material adverse effect on the Company by delaying or preventing or making more expensive exploration, development and/or production.

### Environmental Risks and Hazards

The Company's activities are subject to extensive federal, state, and local laws and regulations governing environmental protection and employee health and safety. Environmental legislation is evolving in a manner that is creating stricter standards, while enforcement, fines and penalties for non-compliance are also increasingly stringent. Compliance with environmental regulations may require significant capital outlays on behalf of the Company and may cause material changes or delays in the Company's intended activities. The cost of compliance with changes in governmental regulations has the potential to reduce the profitability of operations. Further, any failure by the Company to comply fully with all applicable laws and regulations could have significant adverse effects on the Company, including the suspension or cessation of operations.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

Risks with Title to Mineral Properties

Title on mineral properties and mining rights involves certain risks due to the difficulties of determining the validity of certain claims as well as the potential for problems arising from the ambiguous conveyance history of many mining properties. Although the Company has, with the assistance of its legal advisors, diligently investigated and validated title to its mineral claims, there is no guarantee that the Company will not encounter challenges or loss of title to its assets. The Company does not carry title insurance.

The Company is actively engaged in the process of seeking to strengthen the certainty of its title to its mineral concessions, which are held either directly or through its equity interest in its subsidiaries.

The Company cannot give any assurance that title to properties it acquired individually or through historical share acquisitions will not be impugned and cannot guarantee that the Company will have or acquire valid title to these mining properties. Failure by the Company to retain title to properties which comprise its projects could have a material adverse effect on the Company and the value of its common shares.

#### Risks Associated with Potential Acquisitions

The Company may evaluate opportunities to acquire additional mining assets and businesses. These acquisitions may be material in size, may change the scale of the Company's business and may expose the Company to new geographic, political, operating, financial and geological risks. The Company's success in its acquisition activities depends on its ability to identify suitable acquisition targets, acquire them on acceptable terms and integrate their operations successfully with those of the Company. The Company may need additional capital to finance any such acquisitions.

Debt financing related to acquisition would expose the Company to the risk of leverage, while equity financing may cause existing shareholders to suffer dilution. There is a limited supply of desirable mineral lands available for claim staking, lease or other acquisition in the areas where the Company contemplates conducting exploration activities. The Company may be at a disadvantage in its efforts to acquire quality mining properties as it must compete with individuals and companies which in many cases have greater financial resources and larger technical staffs than the Company. Accordingly, there can be no assurance that the Company will be able to compete successfully for new mining properties.

### Negative Operating Cash Flow

The Company is an exploration stage company and has not yet commenced commercial production on any property and, accordingly, has not generated cash flow from operations. The Company has a history of losses and there can be no assurance that it will ever be profitable. The Company expects to continue to incur losses unless and until such time as it commences profitable mining operations on its properties. The development of the properties will require the commitment of substantial financial resources. The amount and timing of expenditures will depend on a number of factors, some of which are beyond the Company's control, including the progress of ongoing exploration, studies and development, the results of consultant analysis and recommendations, the rate at which operating losses are incurred and the execution of any joint venture agreements with any strategic partners, if any. There can be no assurance that the Company will ever generate revenues from operations or that any properties the Company may hereafter acquire or obtain an interest in will generate earnings, operate profitably or provide a return on investment in the future. There can be no assurance that the Company's cost assumptions will prove to be accurate, as costs will ultimately be determined by several factors that are beyond the Company's control. The Company expects to continue to incur negative consolidated operating cash flow and losses until such time as it enters into commercial production.

### Financing

Additional funding will be required to complete the proposed or future exploration and other programs on the Company's properties. There is no assurance that any such funds will be available. Failure to obtain additional financing, if required, on a timely basis, could cause the Company to reduce or delay its proposed operations. The majority of sources of funds currently available to the Company for its acquisition and exploration projects are, in large part, derived from the issuance of equity.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

While the Company has been successful in the past in obtaining equity financing to undertake its currently planned exploration and evaluation programs, there is no assurance that it will be able to obtain adequate financing in the future or that such financing will be on terms advantageous to the Company.

#### Personnel and Equipment

The ability to identify, negotiate and consummate transactions that will benefit the Company is dependent upon the efforts of the Company's management team. The loss of the services of any member of management could have a material adverse effect on the Company. The Company's future drilling activities may require significant investment in additional personnel and capital equipment. Given the current level of demand for equipment and experienced personnel within the mining industry, there can be no assurance that the Company will be able to acquire the necessary resources to successfully implement its business plan. The Company is heavily dependent on its key personnel and on its ability to motivate, retain and attract highly skilled persons. If, for any reason, any one or more of such key personnel do not continue to be active in the Company's management, the Company could be adversely affected. There can be no assurance that the Company will successfully attract and retain additional qualified personnel to manage its current needs and anticipated growth. The failure to attract such qualified personnel to manage growth effectively could have a material adverse effect on the Company's business, financial condition or results of operations.

#### Insurance

In the course of exploration, development and production of mineral properties, certain risks, and in particular, unexpected or unusual geological operating conditions and other environmental occurrences may occur. It is not always possible to fully insure against such risks and, even where such insurance is available, the Company may decide to not take out insurance against such risks. Should such liabilities arise, they could reduce or eliminate any future profitability and result in increasing costs and a decline in the value of the Company.

### Currency Risk

The Company is exposed to currency risk to the extent that monetary assets and liabilities held by the Company are not denominated in Canadian dollars. The Company has not entered into any foreign currency contracts to mitigate this risk. Certain of the Company's cash, and accounts payable and accrued liabilities are denominated in US dollars including mineral property obligations. Therefore, the US dollar amounts are subject to fluctuation against the Canadian dollar. The Company also has transactional currency exposures. Such exposures arise from purchases in currencies other than the respective functional currencies, typically in the US dollar. The Company maintains its accounts in Canadian dollars, while the market for gold is principally denominated in U.S. dollars.

#### Litigation

The Company is subject to litigation risks. All industries, including the mining industry, are subject to legal claims, with and without merit. Defence and settlement costs can be substantial, even with respect to claims that have no merit. Due to the inherent uncertainty of the litigation process, there can be no assurance that the resolution of any particular legal proceeding will not have a material adverse effect on the Company's financial position or results of operations.

### Enforcement of Civil Liabilities

Certain of the Company's directors and certain of the experts named herein reside outside of Canada and, similarly, a majority of the assets of the Company are located outside of Canada. It may not be possible for investors to effect service of process within Canada upon the directors and experts not residing in Canada. It may also not be possible to enforce against the Company and certain of its directors and experts named herein judgements obtained in Canadian courts predicated upon the civil liability provisions of applicable securities laws in Canada.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

### **Critical Accounting Policies and Estimates**

The Company prepares its financial statements in accordance with IFRS as issued by the International Accounting Standards Board ("IASB").

The preparation of the condensed consolidated interim financial statements requires management to make certain estimates, judgments and assumptions that affect the reported amounts of assets and liabilities at the date of the financial statements and reported amounts of expenses during the reporting period. Actual outcomes could differ from these estimates.

The condensed consolidated interim financial statements include estimates which, by their nature, are uncertain. The impacts of such estimates are pervasive throughout the financial statements and may require accounting adjustments based on future occurrences. Revisions to accounting estimates are recognized in the period in which the estimate is revised and future periods if the revision affects both current and future periods. These estimates are based on historical experience, current and future economic conditions and other factors, including expectations of future events that are believed to be reasonable under the circumstances.

Significant assumptions about the future and other sources of estimation uncertainty that management has made at year end that could result in a material adjustment to the carrying amounts of assets and liabilities, in the event that actual results differ from assumptions made, relate to the following:

### (i) Critical accounting estimates

- The net carrying value of each exploration and evaluation asset is reviewed regularly for conditions that suggest impairment. This review requires significant judgment. Factors considered in the assessment of asset impairment include, but are not limited to, whether there has been a significant adverse change in the legal, regulatory, accessibility, title, environmental or political factors that could affect the property's value; whether there has been an accumulation of costs significantly in excess of the amounts originally expected for the property's acquisition, development or cost of holding; and whether exploration activities produced results that are not promising such that no more work is being planned in the foreseeable future. If impairment is determined to exist, a formal estimate of the recoverable amount is prepared, and an impairment loss is recognized to the extent that the carrying amount exceeds the recoverable amount.
- The determination of tax expense for the year and deferred tax assets and liabilities involves significant estimation and judgment by management. In determining these amounts, management interprets tax legislation in a variety of jurisdictions and make estimates of the expected timing of the reversal of deferred tax assets and liabilities. Management also makes estimates of future earnings which affect the extent to which potential future tax benefits may be used. The Company is subject to assessments by various taxation authorities, which may interpret legislation differently. These differences may affect the final amount or the timing of the payment of taxes. We provide for such differences where known based on our best estimate of the probable outcome of these matters.

### (ii) Critical accounting judgments

- Presentation of the condensed consolidated interim financial statements as a going concern which assumes that the Company will continue in operation for the foreseeable future, obtain additional financing as required, and will be able to realize its assets and discharge its liabilities in the normal course of operations as they come due.
- The analysis of the functional currency for each entity of the Company. In concluding that the Canadian dollar is the functional currency of the parent and its subsidiary companies, management considered the currency that mainly influences the cost of providing goods and services in each jurisdiction in which the Company operates. As no single currency was clearly dominant the Company also considered secondary indicators including the currency in which funds from financing activities are denominated and the currency

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

in which funds are retained.

- Management is required to assess impairment in respect to the Company's intangible mineral property interests. The triggering events are defined in IFRS 6. In making the assessment, management is required to make judgments on the status of each project and the future plans towards finding commercial reserves. Management has determined that there were no indications of impairment at September 30, 2022,

# Financial Risk Management

The Company is exposed in varying degrees to a variety of financial instrument related risks. The Board approves and monitors the risk management processes.

#### Credit risk

Credit risk is the risk that one party to a financial instrument will fail to discharge an obligation and cause the other party to incur a financial loss. The Company does not have financial instruments that potentially subject the Company to credit risk. The Company's receivables consist mainly of goods and services tax receivable from the Government of Canada and the Company places its cash with financial institutions with high credit ratings therefore credit risk is minimal. The Company's credit risk has not changed significantly from the prior year.

### Liquidity risk

Liquidity risk is the risk that the Company will not be able to meet its financial obligations as they fall due. The Company has in place a planning and budgeting process to help determine the funds required to ensure the Company has the appropriate liquidity to meet its operating and growth objectives. The Company has historically relied on issuance of shares to fund exploration programs and may require doing so again in the future. The Company has \$1,617,406 in accounts payable and accrued liabilities that are due within one year of the date of the consolidated statement of financial position.

### Market risk

### Currency risk

Financial instruments that impact the Company's net earnings or other comprehensive income due to currency fluctuation include cash and accounts payable and accrued liabilities denominated in US dollars. The sensitivity of the Company's net earnings and other comprehensive income to a change in the exchange rate between the United States dollar and the Canadian dollar at September 30, 2022 would change the Company's loss by \$83,703 as a result of a 10% change in the value of the Canadian dollar relative to the US dollar.

### Interest rate risk

Interest rate risk is the risk that the fair value of future cash flows of a financial instrument will fluctuate due to changes in market interest rates. The Company deposits its cash in interest-bearing bank accounts with variable interest rates, therefore, the Company is minimally exposed to interest rate risk.

#### Price risk

Commodity price risk is defined as the potential adverse impact on earnings and economic value due to commodity price movements and volatilities. The Company's property has exposure to predominantly gold. Commodity prices greatly affect the value of the Company and the potential value of its property and investments.

Management's Discussion and Analysis For the six months ended September 30, 2022 and 2021

### Capital management

The Company's objectives when managing capital are:

- To safeguard its ability to continue as a going concern in order to develop and operate its current projects;
- Pursue strategic growth initiatives; and
- To maintain a flexible capital structure which lowers the cost of capital.

In assessing its capital structure, the Company includes in its assessment the components of shareholders' equity. In order to facilitate the management of capital requirements, the Company prepares annual expenditure budgets and continuously monitors and reviews actual and forecasted cash flows. The annual and updated budgets are monitored and approved by the Board of Directors. To maintain or adjust the capital structure, the Company may, from time to time, issue new shares, issue new debt, repay debt or dispose of non-core assets. The Company's current capital resources are insufficient to carry out exploration plans and support operations through the current operating period. The Company is dependent upon the ability to raise additional funding to meet its obligations and commitments.

The Company is not subject to any capital requirements imposed by any regulator.

There were no changes in the Company's approach to capital management during the period ended September 30, 2022.

### **Off-Balance Sheet Arrangements**

The Company does not utilize off-balance sheet arrangements.

### **Proposed Transactions**

There are no proposed transactions as at the date of this report.

# Management's Report on Internal Control over Financial Reporting

In connection with National Instrument 52-109 Certification of Disclosure in Issuer's Annual and Interim Filings ("NI 52-109") adopted in December 2008 by each of the securities commissions across Canada, the Chief Executive Officer and Chief Financial Officer of the Company will file a Venture Issuer Basic Certificate with respect to the financial information contained in the financial statements and respective accompanying Management's Discussion and Analysis. The Venture Issuer Basic Certification does not include representations relating to the establishment and maintenance of disclosure controls and procedures and internal control over financial reporting, as defined in NI 52-109.

Additional information relating to the Company is available on SEDAR at www.sedar.com.